



City of Tacoma

Public Works Engineering Division

ADDENDUM NO. 1

DATE: December 23, 2024

REVISIONS TO:
Request for Bids Specification No. PW24-0148F
Tacoma Spur Stadium NB/SB Ramp

NOTICE TO ALL BIDDERS:

This addendum is issued to clarify, revise, add to or delete from, the original specification documents for the above project. This addendum, as integrated with the original specification documents, shall form the specification documents. The noted revisions shall take precedence over previously issued specification documents and shall become part of this contract.

REVISIONS TO THE SUBMITTAL DEADLINE:

The submittal deadline remains the same.

REVISIONS TO THE SPECIAL PROVISIONS:

Revision #1

Delete special provisions section 2-02.1 and replace with the following Section 2-02.1:

2-02.1 Description

Section 2-02.1 is supplemented with the following:

(*****)

The Contractor shall remove the Impact Attenuator at the intersection of the 705 to Stadium Way Ramp and 705 to Schuster Parkway Ramp (as shown on the plans) as part of the lump sum item "Removal of Structures and Obstructions":

The Contractor shall remove the concrete curb as shown on Sheet 9 of the plans, near the intersection of Stadium Way and on/off ramp to/from SR 705, as part of the lump sum item "Removal of Structures and Obstructions".

Revision #2

Delete special provisions section 5-05.5 and replace with the following Section 5-05.5:

5-05.5 Payment

This section is revised to read:



City of Tacoma

Payment will be made in accordance with Section 1-04.1.

“Cement Conc. Pavement, ___-Inch Section”, per square yard.

The unit Contract price per square yard for “Cement Conc. Pavement, ___-Inch Section” shall be full payment for all costs incurred to carry out the requirements of Section 5-05 and the Plans, and shall include furnishing and installing epoxy coated dowel bars and tie bars except as specified for “Epoxy-Coated Tie Bar with Drill Hole” in this section.

Tie bars that are drilled into existing cement concrete pavement that is not constructed under the Contract will be paid for under the item “Epoxy-Coated Tie Bar with Drill Hole” when included in the Proposal.

The cost to install the “Concrete Curb” depicted on Sheet 9 of the plans, shall be incidental to, and included in, the cost of work to install the “Cement Conc. Pavement, ___-Inch Section”

Revision #3

Add the following new section to special provisions section **5-05.3 Construction Requirements:**

(*****)
Concrete Curb

“Concrete Curb” shall adhere to the requirements of Section 8-04 Curbs, Gutters, and Spillways and shall meet the requirements for Extruded Curb, Type 6.

Revision #4

Add the following new section to special provisions section **8-04.5 Payment:**

This section is amended as follows:
As shown on Sheet 9 of the Plans, “Replace Concrete Curb”, is incidental to the bid item “Cement Conc. Pavement – 12 inch Section”



City of Tacoma

NOTE: Acknowledge receipt of this addendum by initialing the corresponding space as indicated on the signature page. Vendors who have already submitted their bid/proposal may contact the Purchasing Division at 253-502-8468 and request return of their bid/proposal for acknowledgment and re-submittal. Or, a letter acknowledging receipt of this addendum may be submitted in an envelope marked Request for Bids Specification No. PW24-0148F Addendum No. 1. The City reserves the right to reject any and all bids, including, in certain circumstances, for failure to appropriately acknowledge this addendum.

cc: Basel Kitmitto, Public Works Engineering