

CITY OF TACOMA
REQUEST FOR QUOTATION
GENERAL TERMS AND CONDITIONS

This Request for Quotation is governed by City of Tacoma Standard Terms and Conditions linked below.

<http://cms.cityoftacoma.org/purchasing/StandardTermsandConditions.pdf>



THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000053044

Return Bids By 11:00 AM, 12/18/2024
to: sendbid@cityoftacoma.org

Merry Elizabeth Mitchell
 Water Purchasing
 ABN 4th Floor NE
 3628 South 35th Street
 Tacoma WA 98409

Material will ship to:

Water Warehouse
 3506 S 35th St
 Tacoma WA 98409

RFQ Information	
Collective Bid #	TW24-0306N
Bid Issue Date	12/10/2024
Vendor Number	109226 WEB VENDOR FOR RFQ
Vendor Information (vendor to complete)	
Firm Name:	
Address:	
City/State/Zip	/ /
Phone/Fax	/
E-Mail	
Contact Name	
Payment Terms	%, days (e.g. 2% 10,N30)
Tacoma Bus. Lic. #	
Taxpayer ID #	
SIGNATURE OF PERSON AUTHORIZED TO SIGN THIS BID	
x _____	DATE: ___ / ___ / _____
NAME :	_____
TITLE :	_____

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>The City of Tacoma is soliciting bids for purchase of Hardware Non-Electrical (Stock), Safety Supplies (Stock), & Tools (Stock)</p> <p>Submittals may be e-mailed to sendbid@cityoftacoma.org for this solicitation.</p> <p>Please include the Collective Bid Number, TW24-0306N, in the subject line of your e-mail.</p> <p>Bids are subject to the submittal deadline noted in the bid solicitation document. The time of e-mail receipt will be considered as the time of submittal. The City accepts no responsibility for transmission errors.</p> <p>We are unable to verify receipt of submittals due to the large volume of submittals received.</p> <p>Extend net price and provide net total value. All bid pricing shall be FOB Destination, freight prepaid and included in the unit price.</p> <p>Materials must be new and unused. No substitutes are allowed. Substitute items will be returned at vendor's expense.</p>					



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000053044

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>Delivery date will default to two weeks ARO if vendor fails to provide.</p> <p>Please Circle or underline the part number and manufacturer quoted or bid may be considered non-responsive.</p> <p>If applicable, you must select from the approved manufacturer(s) listed. Substitutions will not be approved at the time of the bid awarding. If you have a material that you would like to have added, it must be submitted for review and approved by the City of Tacoma's Material Committee before the bid issue date listed on this request for quotation. For more information regarding this process, please contact: Merry Mitchell, mmitchell@cityoftacoma.org</p> <p>Responses MUST BE SUBMITTED on the provided City of Tacoma bid solicitation form. Vendor signature is MANDATORY.</p> <p>Bid results will be posted at: http://www.cityoftacoma.org/government/city_departments/finance/procurement_and_payables_division/purchasing/bid_results/</p> <p>Note: You must register at this website as a bid holder for each solicitation of interest in order to receive notification regarding amendments or other updates to the original bid solicitation documents.</p> <p>City Contact: Merry Mitchell, mmitchell@cityoftacoma.org</p>					



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
 plainly marked with this

**REQUEST FOR
 QUOTATION
 6000053044**

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
10	32191	<p>YOKE,1-1/2IN X 18IN X 13IN,METER YOKE, METER 1-1/2 IN X 18IN X 13IN. 1-1/2IN COPPER METER SETTER WITH FEMALE IRON PIPE, HORIZONTAL INLET AND OUTLET, ANGLE METER BALL VALVE INLET AND OUTLET AT THE METER, HIGH BY-PASS. MINIMUM 1 IN COPPER TUBE WITH LOCKING BALL VALVE. CENTER LINE OF HIGH BY-PASS TO BE OFF SET 6-1/2 TO 7-1/2 INCHES FROM THE CENTER LINE OF THE INLET AND OUTLET RISERS, AND 5 TO 8-1/2 INCHES BELOW THE CENTER LINE OF METER FLANGES. ALL BALL VALVES MUST HAVE PAD LOCK WINGS. ALL MATERIALS USED IN THE CONSTRUCTION OF THE SETTERS SHALL CONFORM TO THE APPLICABLE SECTIONS OF THE LATEST REVISION OF AWWA STANDARD C-800.</p> <p>BRASS COMPONENTS THAT CONTACT POTABLE WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT. BRASS COMPONENTS THAT DO NOT CONTACT POTABLE WATER MUST MEET AWWA/ANSI C800 AND MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS NO C83600.</p> <p>*NOT ACCEPTABLE MUELLER, FORD*</p> <p>APPROVED: A Y MCDONALD 720R618WWFF665</p>		15	EA		
	Material #	Manf Part#	Manufacturer Name				
	10007039	720R618JJFF666	A.Y. MCDONALD				



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000053044

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
20	31955	<p>BUSHING,1-1/4IN X 1IN,BRASS BUSHING,BRASS,1-1/4IN X 1 IN</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT</p>		5	EA		
30	35505	<p>CLAMP,12IN X 1-1/2IN CC,SVC,CI/AC PIPE CLAMP, SERVICE, 12 INCH X 1-1/2 INCH, CC(AWWA) THREAD OUTLET, DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS,(4 EACH 5/8 STUDS), STAINLESS STEEL 1-1/16 INCH HEX NUTS AND WASHERS. RANGE 13.20"-14.38", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION.</p> <p>Material # Manf Part# Manufacturer Name 10004250 2406 ROBAR 10004249 202S ROMAC 10004248 FSD-202 FORD METER BOX CO</p>		6	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000053044

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
40	80292	<p>FITTING,3/4IN,RNG X RNG FITTING, 3/4IN, RANGER X RANGER</p> <p>BRASS COMPONENTS THAT CONTACT POTABLE WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT. BRASS COMPONENTS THAT DO NOT CONTACT POTABLE WATER MUST MEET AWWA/ANSI C800 AND MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS NO C83600.</p> <p>*NOT ACCEPTABLE MUELLER*</p> <p>***** APPROVED: AY MCDONALD 74758-11 5196-002 CAMBRIDGE 119NL-E3E3 *****</p>		20	EA		
50	33431	<p>ELL,2IN,GALV,90 DEG ELL, GALV, 2IN 90 DEG, MALLEABLE IRON,CLASS 150, GALVANIZED PER ASTM A153.</p>		10	EA		
60	33545	<p>NIPPLE,2IN X 14IN,GALV NIPPLE, GALVANIZED, 2IN X 14IN STANDARD STEEL, GALVANIZED PER ASTM A-120.</p>		5	EA		
70	35492	<p>CLAMP,6IN X 2IN CC,SVC,CI/AC PIPE CLAMP,SERVICE, 6" X 2" CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS,(4EA. 5/8 STUDS). STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION.</p>		8	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000053044

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
	Material #	Manf Part#	Manufacturer Name				
	10004214	317	SMITH BLAIR				
	10004215	FSD-202	FORD METER BOX CO				
	10005136	202S	ROMAC				
80	48155	<p>GLASSES,SAFETY,BLK FRAME, CLEAR LENS GLASSES, SAFETY, JACKSON SAFETY "NEMESIS", #3000354, KIMBERLEY CLARK # 25676, BLACK FRAME, CLEAR FOGGUARD.</p>		288	EA		
	Material #	Manf Part#	Manufacturer Name				
	48155	3000354 (25676)	JACKSON SAFETY INC				
90	30816	<p>ADAPTER,8IN X 24IN,FLNG X MJ,DI ADAPTER, FLANGE X MECHANICAL JOINT, 8IN INSIDE DIAMETER X 24IN LAYING LENGTH, DUCTILE IRON, CAST CLASS 52 OR FABRICATED USING CLASS 53 DI PIPE WITH THREADED FLANGES (150# DRILLING). MUST COMPLY WITH THE LATEST REVISIONS OF AWWA STANDARDS C-104, C-110, C-115, AND C-153. NO ACCESSORIES.</p>		20	EA		
100	31468	<p>PLUG,8IN,PIPE,DI,MECHANICAL JOINT PLUG, PIPE, 8 INCH DUCTILE IRON, MECHANICAL JOINT, 6 HOLES, SOLID, NOT TAPPED, WITHOUT BOLTS, GASKETS OR GLANDS. FITTING TO COMPLY WITH ANSI/AWWA C104 AND ANSI/AWWA C153.</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST BE MANUFACTURED WITHIN TWO YEARS OF THE DATE OF THE PURCHASE ORDER UNLESS PRIOR APPROVAL IS OBTAINED FROM TACOMA WATER.</p>		2	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000053044

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
110	36367	<p>VALVE,6IN, GATE, MJ X MJ ****</p> <p>GATE,VALVE,MECH. JOINT X MECH. JOINT, 6IN, CAST IRON, "</p> <p>WITH 2IN OPERATING NUT WHICH OPERATES LEFT TO "</p> <p>OPEN (COUNTER CLOCK WISE), NON RISING STEM, UL LISTED</p> <p>AND FM APPROVED, VALVES SHALL CONFORM TO THE LATEST C515 AND AWWA C550. SHALL CONFORM TO REVISION OF AWWA C110/A21.10, (ANSI B16.1, CLASS 125)</p> <p>Material provided under this specification must be manufactured within two years of the date of the purchase order unless prior approval is obtained from Tacoma Water.</p> <p>APPROVED: AMERICAN FLOW SERIES 2500 CLOW MODEL RS KENNEDY MODEL RWGV-96 M&H STYLE 4067 MUELLER STYLE 2360 US PIPE METROSEAL 250 AVK MODEL NO. 25-150-00 EAST JORDAN IRON WORKS "FLOW MASTER"</p>		8	EA		
120	46612	<p>SLING, 12 FEET, POLYESTER, DOUBLE EYE</p> <p>SLING, 12 FEET, POLYESTER ROUND WITH ABRASION RESISTANT POLYESTER SLEEVE TO CREATE AN EYE AND EYE SLING. THE MINIMUM RATED CAPACITY SHALL BE 5,300 POUND VERTICAL, 4,200 POUND CHOKER, 10,600 POUND VERTICAL BASKET.</p> <p>ALL SLINGS SHALL HAVE DURABLE PERMANENTLY AFFIXED TAG THAT INDICATED THE RATED CAPACITY (WORKING LOAD LIMITS) IN VARIOUS CONFIGURATIONS. THE POLYESTER SLEEVE AND COVERS SHALL BE GREEN FOR EASY IDENTIFICATION.</p>		6	EA		

Net Value	\$
Plus Tax at	
_____ %	\$
Total Amount	\$