CITY OF TACOMA REQUEST FOR QUOTATION GENERAL TERMS AND CONDITIONS

This Request for Quotation is governed by City of Tacoma Standard Terms and Conditions linked below.

http://cms.cityoftacoma.org/purchasing/StandardTerms and Conditions.pdf

Revised: 04/2024

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000052725

Return Bids By 11:00 AM, 06/05/2024 to: sendbid@cityoftacoma.org Merry Elizabeth Mitchell Water Purchasing

ABN 4th Floor NE 3628 South 35th Street Tacoma WA 98409

Material will ship to:

Water Warehouse 3506 S 35th St Tacoma WA 98409

RFQ Information	
Collective Bid #	TW24-0140N
Bid Issue Date	05/28/2024
Vendor Number	109226 WEB VENDOR FOR RFQ
Vendor Information	n (vendor to complete)
Firm Name:	
Address:	
City/State/Zip	1 1
Phone/Fax	I
E-Mail	
Contact Name	
Payment Terms	%, days (e.g. 2% 10,N30)
Tacoma Bus. Lic. #	
Taxpayer ID #	
SIGNATURE OF PERSON A	AUTHORIZED TO SIGN THIS BID
X	
NAME :	
TITLE :	

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	The City of Tacoma is soliciting bids for purchase of Hardware Non-Electrical (Stock) & Electrical Hardware (Stock)					
	Submittals may be e-mailed to sendbid@cityoftacoma.org for this solicitation.					
	Please include the Collective Bid Number, TW24-0140N, in the subject line of your e-mail.					
	Bids are subject to the submittal deadline noted in the bid solicitation document. The time of e-mail receipt will be considered as the time of submittal. The City accepts no responsibility for transmission errors.					
	We are unable to verify receipt of submittals due to the large volume of submittals received.					
	Extend net price and provide net total value. All bid pricing shall be FOB Destination, freight prepaid and included in the unit price.					
	Materials must be new and unused. No substitutes are allowed. Substitute items will be returned at vendor's expense.					

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

			T	T	T	
Item #	Material#	Delivery	QTY	UM	Net Price	Total
	Description	Date				
	Delivery date will default to two weeks ARO if vendor fails to provide.					
	Please Circle or underline the part number and manufacturer quoted or					
	bid may be considered non-responsive.					
	sid may so considered non responsive.					
	If applicable, you must select from the approved manufacturer(s) listed.					
	Substitutions will not be approved at the time of the bid awarding. If					
	you have a material that you would like to have added, it must be					
	submitted for review and approved by the City of Tacoma's Material					
	Committee before the bid issue date listed on this request for quotation.					
	For more information regarding this process, please contact: Merry					
	Mitchell, mmitchell@cityoftacoma.org					
	Responses MUST BE SUBMITTED on the provided City of Tacoma bid					
	solicitation form. Vendor signature is MANDATORY.					
	Pid accepts will be accepted at					
	Bid results will be posted at:					
	http://www.cityoftacoma.org/government/ci					
	ty_departments/finance/procurement_and_payables_division/purch					
	asing/bid_results/					
	Note: You must register at this website as a bid holder for each					
	solicitation of interest in order to receive notification regarding					
	amendments or other updates to the original bid solicitation documents.					
	-					
	City Contact: Merry Mitchell, mmitchell@cityoftacoma.org					

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
10	30844	COUPLING,1-1/2IN COMP X MIPT,GALV COUPLING, ADAPTER, 1-1/2 INCH COMPRESSION X 1-1/2 INCH MALE IRON PIPE THREAD. TO FIT PIPE OD. 1.900 INCH. GALVANIZED FINISH.		5	EA		
		NOT ACCEPTABLE: B & K TELSCO					
	Material 30844	# Manf Part# Manufacturer Name #65 DRESSER					
20	32094	NIPPLE,1/4IN X 6IN,RED BRASS NIPPLE,RED BRASS,1/4IN X 6IN		20	EA		
		MUST MEET ASTM B43 FOR SEAMLESS RED BRASS PIPE AND NSF 372 FOR LEAD CONTENT.					
30	32119	NIPPLE,1IN X CLOSE,RED BRASS NIPPLE,RED BRASS ,1IN X CLOSE, (1IN X 1-1/2IN)		15	EA		
		MUST MEET ASTM B43 FOR SEAMLESS RED BRASS PIPE AND NSF 372 FOR LEAD CONTENT.					

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
40	35541 Material	PADLOCK, LONG SHACKLE, LESS CORE PADLOCK, 1-1/2" SHACKLE HEIGHT, 3/8" SHACKLE DIAMETER, 7/8" TO 29/32" WIDTH OF OPENING, SOLID BRASS BODY, NON KEY RETAINED, SATIN BRASS FINISH, LESS 7-PIN INTERCHANGEABLE CORE. SHACKLES MUST BE STAINLESS STEEL OR HARDENED BORON WITH DUAL BALL LOCKING AT HEEL AND TOE OF SHACKLE. PAD LOCKS MUST BE COMPATIBLE WITH MEDECO "KEYMARK" CORES. "TACOMA CITY WATER" MUST BE STAMPED OR ENGRAVED ON THE BROAD SIDE OF THE BODY IN 3/16" HIGH LETTERS. A PDF FILE IS THE REQUIRED FORM FROM MASTER LOCK TO GET THE LOCKS LASER ENGRAVED WITH "TACOMA CITY WATER". PDF FILE PROVIDED BY THE CITY OF TACOMA.		25	EA		
50	1000437 1000900	78 41B-722L-PS1347GREEN-606 BEST		40	EA		

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
60 ltem#	Material# 72470	YOKE,5/8IN X 3/4IN X 18IN,METER YOKE, METER SETTER, 5/8 INCH X 3/4 INCH X 18 INCH H, WITH TIE BAR, FULL PORT ANGLE BALL VALVE INLET WITH PADLOCK WINGS, "KEY" STYLE OPERATING NUT WITH FLOW DIRECTION INDICATOR CAST IN TOP, METER SWIVEL NUTS SHALL HAVE A LIP TO SUPPORT THE METER DURING INSTALLATION, DOUBLE PURPOSE UNION ON THE INLET AND OUTLET, MINUS THE DOUBLE PURPOSE NUT, SUPPLIED WITH THREAD PROTECTION. RUBBER GASKETS MUST BE PROVIDED. ALL MATERIALS USED IN THE CONSTRUCTION OF THE METER	_	QTY 75	UM EA	Net Price	Total
		SETTERS AND YOKES, RESETTERS, INSETTERS AND HORNS SHALL BE NEW AND CONFORM TO THE APPLICABLE SECTIONS OF THE LATEST REVISION OF AWWA STANDARD C800.					
		BRASS COMPONENTS THAT CONTACT POTABLE WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT. BRASS COMPONENTS THAT DO NOT CONTACT POTABLE WATER MUST MEET AWWA/ANSI C800 AND MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS NO C83600.					
		NOT ACCEPTABLE MUELLER ********************************					

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
70	75650	KIT,REPAIR,VALVE,8IN		4	EA		
		KIT, REPAIR, VALVE, 8 INCH, CONSISTS OF DIAPHRAGM, DISC AND SPACER WASHER. CLA-VAL# 9817901D		-			
	Material 75650	# Manf Part# Manufacturer Name 9817901D CLA-VAL					
80	78546	WASHER,5/8,FLAT,ZINC 5/8"x1-5/16"x3/32" SAE FLAT WASHER APPROVED: TACOMA SCREW 069-212-1		200	EA		

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
90	30766 Material 30766	CLAMP,16IN X 2IN CC,SVC,19.00-19.68 CLAMP,SERVICE,16" X 2" CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS,(4EA. 5/8 STUDS). STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 19.00."-19.68", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. NOT ACCEPTABLE: JCM ROBAR#		4	EA		
100	30938	ELL,4IN,MJ,DI,45 DEG ELL, 4", 45 DEGREE, MECHANICAL JOINT, DUCTILE IRON. MUST COMPLY WITH THE LATEST REVISIONS OF THE ANSI/AWWA C-104, C-110 AND C-153. MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST BE MANUFACTURED WITHIN TWO YEARS OF THE DATE OF THE PURCHASE ORDER UNLESS PRIOR APPROVAL IS OBTAINED FROM TACOMA WATER. *** NO ACCESSORIES ***		8	EA		

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
110	30943	ELL,6IN,MJ,DI,22-1/2 DEG ELL, 6", 22-1/2 DEGREE, MECHANICAL JOINT. DUCTILE IRON. MUST COMPLY WITH THE LATESTS REVISIONS OF THE ANSI/AWWA C-110, C-153 AND C-104. MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST BE MANUFACTURED WITHIN TWO YEARS OF THE DATE OF THE PURCHASE ORDER UNLESS PRIOR APPROVAL IS OBTAINED FROM TACOMA WATER. NO ACCESSORIES.		4	EA		Total

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

l# Description	Delivery Date	QTY	UM	Net Price	Total
EXTENSION,42IN,GATE STEM,VALVE OPERATING EXTENSION, GATE VALVE OPERATING, 42 INCH OVERALL LENGTH INCLUDING GATE NUT, WITH GATE NUT & SOCKET, PRIME PAINTED. TO OPERATE BURIED VALVES. SOLID STEEL SHAFT WITH 2" TOP/OPERATING NUT AND 2" BOTTOM SOCKET DESIGNED TO FIT AWWA WRENCH NUTS DESCRIBED IN SECTION 4.4.7. IN AWWA/ANSI STANDARD C509 AND C515, WITH 4" TO 4-1/2" CENTERING RING LOCATED APPROXIMATILY 2-1/2" BELOW THE BOTTOM EDGE OF THE OPERATING NUT NOTE:Water Key doesn't have stock numbers for 18", 30" and 42" extensions, but they will make them to any length specified. APPROVED: WATER KEY PRODUCT OLYMPIC FOUNDRY INC. PART NO. VSE OR APPROVED EQUAL NOT APPROVED: FERGUSON ENTERPRISES "PROSELECT" EXTENSIONS WITH TUBE STEMS	Delivery Date	QTY 10	UM EA	Net Price	Total
	EXTENSION, 42IN, GATE STEM, VALVE OPERATING EXTENSION, GATE VALVE OPERATING, 42 INCH OVERALL LENGTH INCLUDING GATE NUT, WITH GATE NUT & SOCKET, PRIME PAINTED. TO OPERATE BURIED VALVES. SOLID STEEL SHAFT WITH 2" TOP/OPERATING NUT AND 2" BOTTOM SOCKET DESIGNED TO FIT AWWA WRENCH NUTS DESCRIBED IN SECTION 4.4.7. IN AWWA/ANSI STANDARD C509 AND C515, WITH 4" TO 4-1/2" CENTERING RING LOCATED APPROXIMATILY 2-1/2" BELOW THE BOTTOM EDGE OF THE OPERATING NUT NOTE:Water Key doesn't have stock numbers for 18", 30" and 42" extensions, but they will make them to any length specified. APPROVED: WATER KEY PRODUCT OLYMPIC FOUNDRY INC. PART NO. VSE OR APPROVED EQUAL NOT APPROVED: FERGUSON ENTERPRISES	EXTENSION, 42IN, GATE STEM, VALVE OPERATING EXTENSION, GATE VALVE OPERATING, 42 INCH OVERALL LENGTH INCLUDING GATE NUT, WITH GATE NUT & SOCKET, PRIME PAINTED. TO OPERATE BURIED VALVES. SOLID STEEL SHAFT WITH 2" TOP/OPERATING NUT AND 2" BOTTOM SOCKET DESIGNED TO FIT AWWA WRENCH NUTS DESCRIBED IN SECTION 4.4.7. IN AWWA/ANSI STANDARD C509 AND C515, WITH 4" TO 4-1/2" CENTERING RING LOCATED APPROXIMATILY 2-1/2" BELOW THE BOTTOM EDGE OF THE OPERATING NUT NOTE:Water Key doesn't have stock numbers for 18", 30" and 42" extensions, but they will make them to any length specified. APPROVED: WATER KEY PRODUCT OLYMPIC FOUNDRY INC. PART NO. VSE OR APPROVED EQUAL NOT APPROVED: FERGUSON ENTERPRISES	EXTENSION, 42IN, GATE STEM, VALVE OPERATING EXTENSION, GATE VALVE OPERATING, 42 INCH OVERALL LENGTH INCLUDING GATE NUT, WITH GATE NUT & SOCKET, PRIME PAINTED. TO OPERATE BURIED VALVES. SOLID STEEL SHAFT WITH 2" TOP/OPERATING NUT AND 2" BOTTOM SOCKET DESIGNED TO FIT AWWA WRENCH NUTS DESCRIBED IN SECTION 4.4.7. IN AWWA/ANSI STANDARD C509 AND C515, WITH 4" TO 4-1/2" CENTERING RING LOCATED APPROXIMATILY 2-1/2" BELOW THE BOTTOM EDGE OF THE OPERATING NUT NOTE:Water Key doesn't have stock numbers for 18", 30" and 42" extensions, but they will make them to any length specified. APPROVED: WATER KEY PRODUCT OLYMPIC FOUNDRY INC. PART NO. VSE OR APPROVED EQUAL NOT APPROVED: FERGUSON ENTERPRISES	Description Date ID EXTENSION,42IN,GATE STEM,VALVE OPERATING EXTENSION, GATE VALVE OPERATING, 42 INCH OVERALL LENGTH INCLUDING GATE NUT, WITH GATE NUT & SOCKET, PRIME PAINTED. TO OPERATING NUT AND 2" BOTTOM SOCKET DESIGNED TO FIT AWWA WRENCH NUTS DESCRIBED IN SECTION 4.4.7. IN AWWA/ANSI STANDARD C509 AND C515, WITH 4" TO 4-1/2" CENTERING RING LOCATED APPROXIMATILY 2-1/2" BELOW THE BOTTOM EDGE OF THE OPERATING NUT NOTE:Water Key doesn't have stock numbers for 18", 30" and 42" extensions, but they will make them to any length specified. APPROVED: WATER KEY PRODUCT OLYMPIC FOUNDRY INC. PART NO. VSE OR APPROVED EQUAL NOT APPROVED: FERGUSON ENTERPRISES	Description Date 10 EA EXTENSION, 42IN, GATE STEM, VALVE OPERATING EXTENSION, GATE VALVE OPERATING, 42 INCH OVERALL LENGTH INCLUDING GATE NUT, WITH GATE NUT & SOCKET, PRIME PAINTED. TO OPERATE BURIED VALVES. SOLID STEEL SHAFT WITH 2" TOP/OPERATING NUT AND 2" BOTTOM SOCKET DESIGNED TO FIT AWWA WRENCH NUTS DESCRIBED IN SECTION 4.4.7. IN AWWA/ANSI STANDARD C509 AND C515, WITH 4" TO 4-1/2" CENTERING RING LOCATED APPROXIMATILY 2-1/2" BELOW THE BOTTOM EDGE OF THE OPERATING NUT NOTE:Water Key doesn't have stock numbers for 18", 30" and 42" extensions, but they will make them to any length specified. APPROVED: WATER KEY PRODUCT OLYMPIC FOUNDRY INC. PART NO. VSE OR APPROVED EQUAL NOT APPROVED: FERGUSON ENTERPRISES

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material# Description		Delivery Date	QTY	им	Net Price	Total
130	GLAND PACK,1 10" RESTRAININ DUCTILE IRON, CONFOR ASTM A536-80. THE G THAT INCREASES AS PRESSURE RATED 350 PSI. INCLUDE "SBR" M.J. GASI T-HEAD BOLTS AND ME AII MATERIALS MANUFACTURE		5	EA			
	10011349 3000P 10011348 1400 S	art# Manufacturer Name SERIES STAR GRIP ERIES UNIFLANGE GRIP ROMAC SC EBBA IRON					
140	POLYETHYLENI	E,22INX28-7/16INX3/4IN,SH,UHM E SHEET, ULTRA HIGH MOLECULAR ER, MILL PLATE, 22IN X 28-7/16IN X EPROCESSE		28	EA		

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description		Delivery Date	QTY	UM	Net Price	Total
150	CLAMP,10IN X 1-1/2IN CC,SVC,CI/AC PIPE CLAMP,SERVICE,10" X 1-1/2" CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS,(4EA. 5/8 STUDS). STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 11.10"-12.12", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION.				3	EA		
160	1000423 1000423 1000423	Material # Manf Part# Manufacturer Name 10004233 2406 ROBAR 10004231 202S ROMAC 10004230 317 SMITH BLAIR 10004232 FSD-202 FORD METER BOX CO 10008078 404 JCM			10	EA		

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delive Date		UM	Net Price	Total
170	65837	COUPLING, 12 INCH XL, TRANSITION, EXTENDED RANGE 13.15 IN TO 14.40 IN, DUCTILE IRON BODY, GLANDS AND BOLT GUIDES, NITRILE GASKETS, STAINLESS STEEL BOLTS, FUSION BONDED EPOXY COATED, WORKING PRESSURE UP TO 260 PSI, NSF 372 CERTIFIED. APPROVED: ROMAC MACRO HP EXTENDED RANGE COUPLING		2	EA		
180	76218	ADAPTER, 10IN X 24IN,FLNG-PE,DI ADAPTER, 10IN X 24IN LG DI FLG TO PE, MORTAR LINED,CAST CLASS 52 OR FABRICATED USING SPECIAL CLASS 53 DI PIPE WITH THREADED (SOLID BACK) DUCTILE IRON FLANGES(CLASS 125). MUST COMPLY WITH THE LATEST REVISIONS OF AWWA STANDARDS; C-104, C-110, C-115, C-150,C-151 AND C-153.		2	EA		

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
190	77211	CAP,6IN,RESTRAINING,XL RANGE CAP, 6IN, ROMAC ALPHA EC XL RESTRAINING, RANGE 6.90-7.20, FOR PLAIN END PIPE FOR TESTING,BLOW-OFF OR LINE FLUSHING. CAN ALSO BE USED FOR PIPE END SEAL FOR PERMANENT INSTALLATION. CAN BE USED ON DUCTILE IRON, CAST IRON (CLASS A,B,C,&D), PVC IPS SIZE(SCH 40,SCH 80, AND SDR 21) PVC C900 & C909 & HDPE. WORKING PRESSURE UP TO 350PSI.		1	EA		
	Material 77211	# Manf Part# Manufacturer Name ALPHA EC XL-7.20 ROMAC					
					ot Valı	٤ د	

Net Value	\$
Plus Tax at	\$
Total Amount	\$