

CITY OF TACOMA
REQUEST FOR QUOTATION
GENERAL TERMS AND CONDITIONS

This Request for Quotation is governed by City of Tacoma Standard Terms and Conditions linked below.

<http://cms.cityoftacoma.org/purchasing/StandardTermsandConditions.pdf>



THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000052810

Return Bids By 11:00 AM, 08/07/2024
to: sendbid@cityoftacoma.org

Merry Elizabeth Mitchell
 Water Purchasing
 ABN 4th Floor NE
 3628 South 35th Street
 Tacoma WA 98409

Material will ship to:

Water Warehouse
 3506 S 35th St
 Tacoma WA 98409

RFQ Information

Collective Bid #	TW24-0194N
Bid Issue Date	07/30/2024
Vendor Number	109226 WEB VENDOR FOR RFQ

Vendor Information (vendor to complete)

Firm Name:	
Address:	
City/State/Zip	/ /
Phone/Fax	/
E-Mail	
Contact Name	
Payment Terms	%, days (e.g. 2% 10,N30)
Tacoma Bus. Lic. #	
Taxpayer ID #	

SIGNATURE OF PERSON AUTHORIZED TO SIGN THIS BID
 x _____ **DATE:** ___ / ___ / _____
NAME : _____
TITLE : _____

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	<p>The City of Tacoma is soliciting bids for purchase of Hardware Non-Electrical (Stock), Pipe (Stock), & Tools (Stock)</p> <p>Submittals may be e-mailed to sendbid@cityoftacoma.org for this solicitation.</p> <p>Please include the Collective Bid Number, TW24-0194N, in the subject line of your e-mail.</p> <p>Bids are subject to the submittal deadline noted in the bid solicitation document. The time of e-mail receipt will be considered as the time of submittal. The City accepts no responsibility for transmission errors.</p> <p>We are unable to verify receipt of submittals due to the large volume of submittals received.</p> <p>Extend net price and provide net total value. All bid pricing shall be FOB Destination, freight prepaid and included in the unit price.</p> <p>Materials must be new and unused. No substitutes are allowed. Substitute items will be returned at vendor's expense.</p>					



THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000052810

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
10	<p>Delivery date will default to two weeks ARO if vendor fails to provide.</p> <p>Please Circle or underline the part number and manufacturer quoted or bid may be considered non-responsive.</p> <p>If applicable, you must select from the approved manufacturer(s) listed. Substitutions will not be approved at the time of the bid awarding. If you have a material that you would like to have added, it must be submitted for review and approved by the City of Tacoma's Material Committee before the bid issue date listed on this request for quotation. For more information regarding this process, please contact: Merry Mitchell, mmitchell@cityoftacoma.org</p> <p>Responses MUST BE SUBMITTED on the provided City of Tacoma bid solicitation form. Vendor signature is MANDATORY.</p> <p>Bid results will be posted at: http://www.cityoftacoma.org/government/city_deparents/finance/procurement_and_payables_division/purchasing/bid_results/</p> <p>Note: You must register at this website as a bid holder for each solicitation of interest in order to receive notification regarding amendments or other updates to the original bid solicitation documents.</p> <p>City Contact: Merry Mitchell, mmitchell@cityoftacoma.org</p> <p>10023</p> <p>PADLOCK,ONE TIME LOCK,KEYLESS,DISPOSABLE</p> <p>PADLOCK, ZINC PLATED FORMED STEEL, KEYLESS ROTARY SHACKLE DESIGN, DISPOSABLE.</p> <p>Material # Manf Part# Manufacturer Name 10023 JR-OS ENGINEERING UNLIMITED</p>		800	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000052810

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total						
20	31353	<p>PADLOCK,YALE #2,MASTER KEYED SEE ATTACHE PADLOCK, YALE, NO. PD526, MASTER KEYED TO CITY OF TACOMA NO.2 MASTER KEY, NO.126954, PROVIDE 1 SET(2keys) THAT ARE KD, WITH HARDENED STEEL SHACKLES.</p> <p>THE KEY CODE PROVIDED IN THE PURCHASING TEXT IS THE KEY CODE FOR THE CITY OF TACOMA WATER DEPT. THE KEY CODE IS A CODE IN ITSELF. MUST PROVIDE THAT KEY CODE TO THE YALE COMPANY WHEN PURCHASING THE PADLOCKS</p> <table border="0"> <tr> <td>Material #</td> <td>Manf Part#</td> <td>Manufacturer Name</td> </tr> <tr> <td>31353</td> <td>126954</td> <td>MASTER KEY</td> </tr> </table>	Material #	Manf Part#	Manufacturer Name	31353	126954	MASTER KEY		25	EA		
Material #	Manf Part#	Manufacturer Name											
31353	126954	MASTER KEY											
30	31538	<p>REDUCER,8IN PE X 6IN MJ,DI,COMPACT REDUCER, 8" PE X 6" MJ, DUCTILE IRON, COMPACT FITTING, CEMENT MORTAR LINED. MUST COMPLY WITH THE LATEST REVISIONS OF THE ANSI/AWWA C-110, C-104, AND C-153. NO ACCESSORIES.#</p> <p>Material provided under this specification must be manufactured within two years of the date of the purchase order unless prior approval is obtained from Tacoma Water.</p>		1	EA								
40	32015	<p>COUPLING,2-1/2INX2IN,REDUCING,CAST BRONZ COUPLING, REDUCING, CAST BRONZE, 2-1/2IN. X 2IN, FNPT X FNPT</p> <p>"MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT"</p> <p>*NOT ACCEPTABLE MUELLER, FORD*</p>		48	EA								



THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000052810

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
50	33065	COLLAR,THRUST,B100 TAPPING MACHINE COLLAR, THRUST, BAR, BORING, B100 MACHINE, MUELLER NO 83847. Material # Manf Part# Manufacturer Name 33065 83847 MUELLER		2	EA		
60	33075	DRILL,11/16IN,E TAPPING MACHINE,STEEL DRILL,E TAP MACH,11/16 IN,MUELLER NO 61992,STEEL# Material # Manf Part# Manufacturer Name 33075 61992 MUELLER		3	EA		
70	33735	KIT,REPAIR,VALVE,3IN KIT, REPAIR, VALVE 3", ClaVal # 9169812G Material # Manf Part# Manufacturer Name 33735 9169812G CLA-VAL		3	EA		
80	33858	CATCH BASIN INSERTS FOR SEDIMENT CATCH BASIN INSERTS FOR SEDIMENT RETENTION IN CATCH BASINS. CONSTRUCTED OF NON WOVEN GEOTEXTILE FABRIC, MIRAFI 700X OR APPROVED EQUAL, MUST HAVE AN ADJUSTABLE METAL FRAME THAT WILL SUPPORT THE SOCK AT STREET GRADE WHEN FULLY LOADED. THE FRAME MUST ADJUST TO RECTANGULAR DRAINS FROM 16 INCH X 20 INCH TO 24INCH X 34 INCH. MUST HAVE A STRAP THAT WILL ASSIST IN THE RETRIEVAL OF THE UNIT AND AN OVERFLOW THAT WILL ALLOW WATER TO SPILL DURING PEAK FLOWS OR WHEN THE "SOCK" IS FULL. **ONE UNIT EQUALS (10 PACKS)** ***** Not Approved: Stream Guard Catch Basin Insert Manufactured by Enpac Corp. ***** Material # Manf Part# Manufacturer Name 10010187 ULTRADRAIN GUARD ULTRATECH INTERNATIONAL INC 10008526 ENPAC/STORM SENTINEL #4341 ENPAC		40	EA		



THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000052810

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
90	35506	<p>CLAMP,12IN X 2IN CC,SVC,CI/AC PIPE CLAMP, SERVICE, 12 INCH X 2 INCH CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS,(4 EACH 5/8 INCH STUDS). STAINLESS STEEL 1-1/16 INCH HEX NUTS AND WASHERS. RANGE 13.20"-14.38", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION.</p> <p>Material # Manf Part# Manufacturer Name 10004253 2406 ROBAR 10004252 202S ROMAC 10004251 FSD-202 FORD METER BOX CO</p>		5	EA		
100	35541	<p>PADLOCK,LONG SHACKLE,LESS CORE PADLOCK, 1-1/2" SHACKLE HEIGHT, 3/8" SHACKLE DIAMETER, 7/8" TO 29/32" WIDTH OF OPENING, SOLID BRASS BODY, NON KEY RETAINED, SATIN BRASS FINISH, LESS 7-PIN INTERCHANGEABLE CORE. SHACKLES MUST BE STAINLESS STEEL OR HARDENED BORON WITH DUAL BALL LOCKING AT HEEL AND TOE OF SHACKLE. PAD LOCKS MUST BE COMPATIBLE WITH MEDECO "KEYMARK" CORES. "TACOMA CITY WATER" MUST BE STAMPED OR ENGRAVED ON THE BROAD SIDE OF THE BODY IN 3/16" HIGH LETTERS.</p> <p>A PDF FILE IS THE REQUIRED FORM FROM MASTER LOCK TO GET THE LOCKS LASER ENGRAVED WITH "TACOMA CITY WATER". PDF FILE PROVIDED BY THE CITY OF TACOMA.</p> <p>Material # Manf Part# Manufacturer Name 10004378 41B-722L-PS1347GREEN-606 BEST 10009000 MODEL #6851 MASTER LOCK COMPANY LLC</p>		25	EA		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000052810

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
110	40068	<p>ADAPTER,4IN X 12IN,FLNG X FLNG,DI ADAPTER, FLANGE X FLANGE, 4 INCH INSIDE DIAMETER X 12 INCH LAYING LENGTH, DUCTILE IRON, MORTAR LINED, CAST CLASS 52 OR FABRICATED USING SPECIAL CLASS 53 DI PIPE WITH THREADED (SOLID BACK) DUCTILE IRON FLANGES(CLASS 125). MUST COMPLY WITH THE LATEST REVISIONS OF AWWA STANDARDS; C-104, C-110, C-115, C-150, AND C-151.</p> <p>Material provided under this specification must be manufactured within two years of the date of the purchase order unless prior approval is obtained from Tacoma Water.</p>		12	EA		
120	20414	<p>PLIERS,9IN,SIDE CUTTER,LINEMANS PLIER, LINEMAN, SIDE CUTTERS, 9 IN, HIGH LEVERAGE WITH ULTRA-DURABLE CUTTING KNIVES FOR ACSR, BOLTS, NAILS, ETC., AND CRIMPING DIE FOR SLEEVE CONNECTORS. HANDLES DIPPED IN PLASTIC FOR BETTER GRIP.</p> <p>Material # Manf Part# Manufacturer Name 20414 D20009NECR KLEIN</p>		2	EA		
130	30829	<p>CAP,8IN,TAPPED 2IN,MJ,DI CAP, MECHANICAL JOINT, DUCTILE IRON, SIZE, 8IN. TAPPED 2IN IRON PIPE THREAD IN THE CENTER OF THE CAP FACE. WITHOUT GLANDS, GASKETS OR BOLTS. MUST MEET AWWA STANDARDS C110/A21.10 OR C153/A21.53 AND C111/A21.11</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST BE MANUFACTURED WITHIN TWO YEARS OF THE DATE OF THE PURCHASE ORDER UNLESS PRIOR APPROVAL IS OBTAINED FROM TACOMA WATER.</p>		2	EA		



THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be
 plainly marked with this

**REQUEST FOR
 QUOTATION
 6000052810**

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
140	30949	<p>ELL,8IN,MJ,DI,45 DEG ELL, 8IN, 45 DEGREE, MECHANICAL JOINT, DUCTILE IRON. MUST COMPLY WITH THE LATEST REVISIONS OF THE ANSI/AWWA C-110, C-104 AND C-153.</p> <p>NO ACCESSORIES.</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST BE MANUFACTURED WITHIN TWO YEARS OF THE DATE OF THE PURCHASE ORDER UNLESS PRIOR APPROVAL IS OBTAINED FROM TACOMA WATER.</p>		2	EA		
150	31112	<p>GAUGE,0-300 PSI,PRESSURE,LIQUID FILLED GAUGE, PRESSURE, 0-300 PSI, LIQUID FILLED, BRONZE BOURDON TUBE, STEM MOUNTING 1/4 IN. NPT CONNECTION, 2-1/2 IN.</p> <p>Material # Manf Part# Manufacturer Name 10011272 NO.113-14 WIKA USA 10011270 J-7658P MARSH</p>		2	EA		
160	31426	<p>PIPE,8IN,TYTON JOINT,DUCTILE IRON PIPE, 8", TYTON JOINT, DUCTILE IRON, SPECIAL THICKNESS CLASS 52, 18 FOOT LENGTHS, SBR TYTON JOINT GASKETS, CEMENT MORTAR LINED PER ANSI/AWWA C-104. MUST COMPLY WITH THE LATEST REVISION OF THE ANSI/AWWA C-111 AND C-151.</p> <p>Material # Manf Part# Manufacturer Name 10011409 U.S. PIPE US PIPE 10011408 MCWANE PIPE MCWANE DUCTILE</p>		453	FT		



CITY OF TACOMA

THIS IS NOT AN ORDER
All prices quoted shall be F.O.B.
Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION
6000052810

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
170	32168	<p>TUBING,1IN,COPPER,TYPE K TUBING, 1 INCH, COPPER, SEAMLESS, TYPE "K" ANNEALED, 60 FOOT COILS. THE MATERIAL SHALL BE SUPPLIED IN CONFORMANCE WITH ASTM B88-STANDARD SPECIFICATION FOR SEAMLESS COPPER WATER TUBE FOR POTABLE WATER APPLICATIONS.</p> <p>MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT</p> <p>***** NOT ACCEPTABLE: MUELLER *****</p>		8,040	FT		
180	36403	<p>SLEEVE,8IN,SOLID,MJ,DI **** SLEEVE, SOLID. 8INCH MECHANICAL JOINT, DUCTILE IRON. LONG PATTERN. C-D RANGE. 9.05-9.35, RANGE MUST BE INDICATED ON THE BODY OF FITTING. MUST COMPLY WITH THE LATEST REVISION OF THE ANSI/AWWA C-110. NO ACCESSORIES.</p> <p>Material provided under this specification must be manufactured within two years of the date of the purchase order unless prior approval is obtained from Tacoma Water.</p> <p>APPROVED: TYLER UNION NOT ACCEPTABLE: SIGMA GRIFFIN</p>		16	EA		

Net Value	\$
Plus Tax at	
_____ %	\$
Total Amount	\$