CITY OF TACOMA REQUEST FOR QUOTATION GENERAL TERMS AND CONDITIONS

This Request for Quotation is governed by City of Tacoma Standard Terms and Conditions linked below.

http://cms.cityoftacoma.org/purchasing/StandardTerms and Conditions.pdf

Revised: 04/2024

Page 1 of 7

Tacoma

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000052825

Return Bids By 11:00 AM, 08/21/2024 to: sendbid@cityoftacoma.org Merry Elizabeth Mitchell Water Purchasing ABN 4th Floor NE 3628 South 35th Street

Material will ship to:

Water Warehouse 3506 S 35th St Tacoma WA 98409

Tacoma WA 98409

RFQ Information								
Collective Bid #	TW24-0206N							
Bid Issue Date	08/13/2024							
Vendor Number	109226 WEB VENDOR FOR RFQ							
Vendor Information (vendor to complete)								
Firm Name:								
Address:								
City/State/Zip	1 1							
Phone/Fax	1							
E-Mail								
Contact Name								
Payment Terms	%, days (e.g. 2% 10,N30)							
Tacoma Bus. Lic. #								
Taxpayer ID #								
SIGNATURE OF PERSON AUTHORIZED TO SIGN THIS BID								
x	DATE:/							
NAME :								
TITLE :								

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	The City of Tacoma is soliciting bids for purchase of Hardware Non-Electrical (Stock), Hydrants & Parts (Stock), & Tools (Stock)					
	Submittals may be e-mailed to sendbid@cityoftacoma.org for this solicitation.					
	Please include the Collective Bid Number, TW24-0206N, in the subject line of your e-mail.					
	Bids are subject to the submittal deadline noted in the bid solicitation document. The time of e-mail receipt will be considered as the time of submittal. The City accepts no responsibility for transmission errors.					
	We are unable to verify receipt of submittals due to the large volume of submittals received.					
	Extend net price and provide net total value. All bid pricing shall be FOB Destination, freight prepaid and included in the unit price.					
	Materials must be new and unused. No substitutes are allowed. Substitute items will be returned at vendor's expense.					

Pag



THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

CITY OF TACOMA

All responses & inquiries must be plainly marked with this

Item #	Material# Description	Deliv Date	-	UM	Net Price	Total
	Delivery date will default to two weeks ARO if vendor f	ails to provide.				
	Please Circle or underline the part number and manufabid may be considered non-responsive.	acturer quoted or				
	If applicable, you must select from the approved manu Substitutions will not be approved at the time of the bid you have a material that you would like to have added submitted for review and approved by the City of Taco Committee before the bid issue date listed on this required for more information regarding this process, please of Mitchell, mmitchell@cityoftacoma.org	d awarding. If , it must be ma's Material uest for quotation.				
	Responses MUST BE SUBMITTED on the provided C solicitation form. Vendor signature is MANDATORY.	ity of Tacoma bid				
	Bid results will be posted at: http://www.cityoftacoma.org/government/ci ty_deparents/finance/procurement_and_payables_divi ing/bid_results/	sion/purchas				
	Note: You must register at this website as a bid holder solicitation of interest in order to receive notification reamendments or other updates to the original bid solicit	garding				
	City Contact: Merry Mitchell, mmitchell@cityoftacoma	org				
10	31462 PLUG,6IN,PIPE,DI,MECHANICAL JOINT PLUG, PIPE, DUCTILE IRON, 6 INCH, MEC JOINT, WITHOUT BOLTS OR GASKETS. COMPLY WITH ANSI/AWWAC104 AND AN C153.	FITTING MUST	10	EA		
	MATERIAL PROVIDED UNDER THIS SPEC MUST BE MANUFACTURED WITHIN TWO THE DATE OF THE PURCHASE ORDER U APPROVAL IS OBTAINED FROM TACOMA	YEARS OF INLESS PRIOR				

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

20 32590 MUBLIER, IMP, 6IN, #H90, VLV PLATE NUT MUBLIER, IMPROVED HYDRANT 6 IN., ITEM H-90 VALVE PLATE NUT MUBLIER, IMPROVED HYDRANT 6 IN., ITEM H-90 VALVE PLATE NUT# 2	Price Total	Net Price	UM	QTY	Delivery Date	Material# Description	Item #
MUELLER, IMPROVED HYDRANT 6 IN.,ITEM H-90 VALVE PLATE NUT# 30 32838 IOWA 6IN,#46,DRAIN VLV LIFTER WSHR NUT IOWA 6IN, HYDRANT PART, ITEM NO 46 DRAIN VALVE LIFTER WASHER NUT, BRONZE# 40 35492 CLAMP,SIN X 2IN CC,SVC,CI/AC PIPE CLAMP,SERVICE, 6" X 2" CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS,(4EA. 5/8 STUDS). STAINLESS STEEL STRAPS,(4EA. 5/8 STUDS). STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP, PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manf Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 2028 ROMAC 50 36376 CLAMP,BELL JOINT, BIN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED			EA	2		32590	20
VALVE PLATE NUT# 32838						MUELLER,IMP,6IN,#H90,VLV PLATE NUT	
32838 IOWA 6IN,#46,DRAIN VLV LIFTER WSHR NUT IOWA 6IN, HYDRANT PART, ITEM NO 46 DRAIN VALVE LIFTER WASHER NUT, BRONZE# 8						MUELLER, IMPROVED HYDRANT 6 IN.,ITEM H-90	
IOWA 6IN,#46,DRAIN YLV LIFTER WSHR NUT IOWA 6IN, HYDRANT PART, ITEM NO 46 DRAIN VALVE LIFTER WASHER NUT, BRONZE# 40 35492						VALVE PLATE NUT#	
IOWA 6IN. HYDRANT PART, ITEM NO 46 DRAIN VALVE LIFTER WASHER NUT, BRONZE# 40 35492 CLAMP, 6IN X 2IN CC, SVC, CI/AC PIPE CLAMP, SERVICE, 6" X 2" CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS, (4EA. 5/8 STUDS). STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 6, 90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manf Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 CLAMP, BILL JOINT, LEAD, **** CLAMP, BELL JOINT, BIN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED			EA	2		32838	30
DRAIN VALVE LIFTER WASHER NUT, BRONZE# 40 35492 CLAMP, SIN X 2IN CC, SVC, CI/AC PIPE CLAMP, SERVICE, 6" X 2" CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS, (4EA. 5/8 STUDS). STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manif Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 CLAMP, BILL JOINT, LEAD, **** CLAMP, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, BIN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED						IOWA 6IN,#46,DRAIN VLV LIFTER WSHR NUT	
40 35492 CLAMP, 6IN X 2IN CC, SVC, CI/AC PIPE CLAMP, SERVICE, 6" X 2" CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS, (4EA. 5/8 STUDS). STAINLESS STEEL 1-1/1/6" HEX NUTS AND WASHERS. RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manf Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 CLAMP, 8IN, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, BIN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED						IOWA 6IN. HYDRANT PART, ITEM NO 46	
CLAMP,6IN X 2IN CC,SVC,CI/AC PIPE CLAMP,SERVICE, 6" X 2" CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS,(4EA. 5/8 STUDS). STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manf Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 5 EA CLAMP,8IN, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, BIN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED						DRAIN VALVE LIFTER WASHER NUT, BRONZE#	
CLAMP,SERVICE, 6" X 2" CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS, (4EA. 5/8 STUDS). STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manif Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 CLAMP, BILL JOINT, LEAD, **** CLAMP, BELL JOINT, LEAD, **** CLAMP, BELL JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED			EA	8		35492	40
CLAMP,SERVICE, 6" X 2" CC(AWWA) THREAD OUTLET. DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS, (4EA. 5/8 STUDS). STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manif Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 CLAMP, BILL JOINT, LEAD, **** CLAMP, BELL JOINT, LEAD, **** CLAMP, BELL JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED							
DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO) STAINLESS STEEL STRAPS, (4EA. 5/8 STUDS). STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manf Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 5 EA CLAMP, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, LEAD, **** CLAMP, BELL JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED							
STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS. RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manf Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 5 EA CLAMP, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, BIN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED						DUCTILE IRON BODY (PAINTED), AND DOUBLE(TWO)	
RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manf Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 CLAMP,8IN, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED						STAINLESS STEEL STRAPS,(4EA. 5/8 STUDS).	
ON THE BODY OF THE CLAMP. PRODUCT ORDERING CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manf Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 5 EA CLAMP, BILL JOINT, LEAD, **** CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED						STAINLESS STEEL 1-1/16" HEX NUTS AND WASHERS.	
CODE AND RANGE CHANGES WILL BE CAUSE FOR RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manf Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 5 EA CLAMP,8IN, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED						RANGE 6.90"-7.56", TO BE PERMANENTLY INDICATED	
RE-EVALUATION OF THE PRODUCT AND RE-APPROVAL BY THE WATER DIVISION. Material # Manif Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 5 EA CLAMP,8IN, BELL JOINT, LEAD, ***** CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED						ON THE BODY OF THE CLAMP. PRODUCT ORDERING	
## Manufacturer Name 10004214						CODE AND RANGE CHANGES WILL BE CAUSE FOR	
Material # Manf Part# Manufacturer Name 10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 CLAMP,8IN, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED							
10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 CLAMP,8IN, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED						BY THE WATER DIVISION.	
10004214 317 SMITH BLAIR 10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 CLAMP,8IN, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED						Material # Manf Part# Manufacturer Name	
10004215 FSD-202 FORD METER BOX CO 10005136 202S ROMAC 50 36376 CLAMP,8IN, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED							
10005136 202S ROMAC 50 36376 CLAMP,8IN, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED							
CLAMP,8IN, BELL JOINT ,LEAD, **** CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED							
CLAMP,8IN, BELL JOINT, LEAD, **** CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED			FA	5		36376	50
CLAMP, BELL JOINT, 8IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED							
BELL AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED							
ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED							
ADJUSTABLE. APPROVED: DRESSER - STYLE 160 OR APPROVED						AND SPIGOT LEAD JOINT LEAKS, CLAMP MUST BE	
EQUAL						APPROVED: DRESSER - STYLE 160 OR APPROVED	
						EQUAL	
NOT ACCEPTABLE: ROMAC S17						NOT ACCEPTABLE: ROMAC S17	
SMITH BLAIR 274						SMITH BLAIR 274	
DRESSER 60S						DRESSER 60S	
DRESSER 60						DRESSER 60	
FORD FBC						FORD FBC	

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
60	33661	·		20	EA		
	33001	COUPLING,1IN ,PVC,SLIP ON X SLIP ON		20			
		COUPLING, PVC, 1IN SLIP ON X SLIP ON SCH 40 TYPE 1#					
		COUPLING, PVC, TIN SLIP ON X SLIP ON SCH 40 TTPE 1#					
70	35602			40	EA		
'0	33002	VOKE FIRM Y 2/4IN Y 42IN DESETTED		40			
		YOKE,5/8IN X 3/4IN X 12IN,RESETTER					
		YOKE, RESETTER, 5/8 INCH X 3/4 INCH X 12 INCH H,					
		FOR 5/8X3/4 IN METERS, FULL PORT BALL VALVE ON					
		METER INLET, METER SWIVEL NUT OUTLET. ALL					
		MATERIALS USED IN THE CONSTRUCTION OF THE					
		RESETTERS SHALL BE NEW AND CONFORM TO THE					
		APPLICABLE SECTIONS OF THE LATEST REVISION OF					
		AWWA STANDARD C800.					
		BRASS COMPONENTS THAT CONTACT POTABLE					
		WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI					
		372, AND IDENTIFIED WITH "NL" ON THE PRODUCT.					
		BRASS COMPONENTS THAT DO NOT CONTACT					
		POTABLE WATER MUST MEET AWWA/ANSI C800 AND					
		MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS					
		NO C83600.					
		NOT ACCEPTABLE MUELLER					
	Material	# Manf Part# Manufacturer Name					
	1000452						
	1000452						
	1000-102	VB42 12W TT NE TOND WETER BOX GO					

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
80 80	Material# 36378	CLAMP,16IN,BELL JOINT,REPAIR **** CLAMP, BELL JOINT, 16IN. FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS. CLAMP MUST BE ADJUSTABLE, 5/8" HIGH STRENGTH, LOW ALLOW TIE RODS PER AWWA C111. APPROVED: DRESSER 60 FORD FBCF-1740 SMITH BLAIR 274 DRESSER 60S ROMAC MODEL 418 OR APPROVED EQUAL NOT ACCEPTABLE: ROMAC S17 FORD FBC CLAMP, BELL JOINT, 16IN, FOR REPAIRING CAST-IRON, BELL AND SPIGOT LEAD JOINT LEAKS. CLAMP MUST BE ADJUSTABLE.		7	EA	Net Price	Total
		AND SPIGOT LEAD JOINT LEAKS. CLAMP MUST BE					

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
90	46611	2000-1		4	EA		
90	40011	SLING, 8 FEET, POLYESTER, DOUBLE EYE SLING, 8 FEET, POLYESTER ROUND WITH ABRASION RESISTANT POLYESTER SLEEVE TO CREATE AN EYE AND EYE SLING. THE MINIMUM RATED CAPACITY SHALL BE 5,300 POUND VERTICAL, 4,200 POUND CHOKER, 10,600 POUND VERTICAL BASKET. ALL SLINGS SHALL HAVE DURABLE PERMANENTLY AFFIXED TAG THAT INDICATED THE RATED CAPACITY (WORKING LOAD LIMITS) IN VARIOUS		4	EA		
		CONFIGURATIONS. THE POLYESTER SLEEVE AND					
100	80291	COVERS SHALL BE GREEN FOR EASY IDENTIFICATION. FITTING,3/4IN,COMPRESSION,90 DEG ELL COMPRESSION FITTING, 3/4 INCH, 90 DEGREE ELL, FOR CTS O.D. TUBING.		200	EA		
		BRASS COMPONENTS THAT CONTACT POTABLE WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT. BRASS COMPONENTS THAT DO NOT CONTACT POTABLE WATER MUST MEET AWWA/ANSI C800 AND MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS NO C83600.					
		NOT ACCEPTABLE MUELLER, FORD **********************************					
110	33901	CLAMP,MAX RANGE 1-1/2IN,HOSE,SS,ADJ		150	EA		
		CLAMP, HOSE, ALL STAINLESS STEEL, ADJUSTABLE RANGE-FROM 3/4 IN. TO 1-1/2 IN. INCLUDES S.S.SCREW.#					

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	l		Delivery Date	QTY	UM	Net Price	Total
	Material 1000018 1000018 1000018 1000018	37 V016 36 16HS 35 HAS 33 3516	6 B, 6 W 16 OR HH 6HS P	lanufacturer Name AND-IT VITTEK S 16 DIXON PRECISION BRAND PRODUCTS PRIDON					
120	Material 1000176 1000950	BUCKET, TOO BETTER CANN MUST HAVE T TWO 3/4IN GR POCKETS ON BUCKET AND RUBBER BOT WITH DRAIN H DEEP. ***********************************	IL, OVAL, 7 /AS DUCK. WO NYLOR OMMETS OF THE INSID A PLASTIC TOM, MININ HOLES. PO * ED: BUCKII			6	EA		
						N	et Val	ue \$	

Net Value	\$
Plus Tax at	\$
Total Amount	\$