CITY OF TACOMA REQUEST FOR QUOTATION GENERAL TERMS AND CONDITIONS

This Request for Quotation is governed by City of Tacoma Standard Terms and Conditions linked below.

http://cms.cityoftacoma.org/purchasing/StandardTermsandConditions.pdf



CITY OF TACOMA

THIS IS NOT AN ORDER All prices guoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Return Bids By 11:00 AM, 01/22/2025	RFQ Information	
to: sendbid@cityoftacoma.org	Collective Bid #	TW25-0010N
	Bid Issue Date	01/14/2025
Merry Elizabeth Mitchell	Vendor Number	109226 WEB VENDOR FOR RFQ
Water Purchasing	Vendor Information	(vendor to complete)
ABN 4th Floor NE	Firm Name:	
3628 South 35th Street	Address:	
Tacoma WA 98409	City/State/Zip	1 1
	Phone/Fax	1
	E-Mail	
Material will ship to:	Contact Name	
•	Payment Terms	%, days (e.g. 2% 10,N30)
	Tacoma Bus. Lic. #	
Water Warehouse 3506 S 35th St	Taxpayer ID #	
Tacoma WA 98409	SIGNATURE OF PERSON AL	ITHORIZED TO SIGN THIS BID
		DATE://
	NAME : TITLE :	
	·····	
	L	

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	The City of Tacoma is soliciting bids for purchase of Hardware					
	Non-Electrical (Stock)& Operating Supplies (Stock)					
	Submittals may be e-mailed to sendbid@cityoftacoma.org for this solicitation.					
	Please include the Collective Bid Number, TW25-0010N, in the subject line of your e-mail.					
	Bids are subject to the submittal deadline noted in the bid solicitation					
	document. The time of e-mail receipt will be considered as the time of					
	submittal. The City accepts no responsibility for transmission errors.					
	We are unable to verify receipt of submittals due to the large volume of submittals received.					
	Extend net price and provide net total value. All bid pricing shall be					
	FOB Destination, freight prepaid and included in the unit price.					
	Materials must be new and unused. No substitutes are allowed.					
	Substitute items will be returned at vendor's expense.					



THIS IS NOT AN ORDER All prices guoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	Delivery date will default to two weeks ARO if vendor fails to provide.					
	Please Circle or underline the part number and manufacturer quoted or bid may be considered non-responsive.					
	If applicable, you must select from the approved manufacturer(s) listed. Substitutions will not be approved at the time of the bid awarding. If you have a material that you would like to have added, it must be submitted for review and approved by the City of Tacoma's Material Committee before the bid issue date listed on this request for quotation. For more information regarding this process, please contact: Merry Mitchell, mmitchell@cityoftacoma.org					
	Responses MUST BE SUBMITTED on the provided City of Tacoma bid solicitation form. Vendor signature is MANDATORY.					
	Bid results will be posted at: http://www.cityoftacoma.org/government/ci ty_deparents/finance/procurement_and_payables_division/purchas ing/bid_results/					
	Note: You must register at this website as a bid holder for each solicitation of interest in order to receive notification regarding amendments or other updates to the original bid solicitation documents.					
	City Contact: Merry Mitchell, mmitchell@cityoftacoma.org					



THIS IS NOT AN ORDER All prices guoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
10	77221 Material 100118	 COVER,LARGE,METER BOX,AMR,TOUCH PAD COVER,METER BOX,LARGE,AMR,POLYMER COMPOSITE,MARKED "WATER METER", OR "TACOMA WATER", MINIMUM 20,000 PSI LOAD RATING FOR INCIDENTAL TRAFFIC SUCH AS IN DRIVEWAYS AND PARKING LOTS. GREY COLOR, COVER DIMENSIONS 23- 1/8" x 13-7/8" x 1-3/4" THICK, 1-3/8" RADIUS ON THE COVER CORNERS. AMR PENETRATION 4" DIAMETER 1/2" DEEP RECESS FOR SENSUS FLEX NET ANTENNA OR TOUCH PAD, AND 2" DIAMETER PENETRATION THROUGH THE COVER WITH THE CENTER BEING 3-1/2" FROM THE TOP AND SIDE EDGES AS APPROVED BY TACOMA WATER. THE COVERS MUST NOT BE BUOYANT AND MUST NOT WARP. 		120	EA		
20	32172	TUBING, 2IN, COPPER, TYPE K, RIGID TUBING, 2 INCH, COPPER, RIGID, SEAMLESS, TYPE "K", DRAWN, FURNISHED IN 20 FOOT LENGTHS. THE MATERIAL SHALL BE SUPPLIED IN CONFORMANCE WITH ASTM B88-STANDARD SPECIFICATION FOR SEAMLESS COPPER WATER TUBE FOR POTABLE WATER APPLICATIONS. MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT Please Deliver this item to:		400	FT		



THIS IS NOT AN ORDER All prices guoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Material#		Delivery	QTY	UM	Net Price	Total
	Description	Date				
33691	DISK & DIAPHRAGM,8IN,REPAIR,ASSY ASSEMBLY,REPAIR,DISC & DIAPHRAGM NO 21176623A 8IN VALVES		1	EA		
Material 33691	# Manf Part# Manufacturer Name 21176623A CLA-VAL					
33764	VALVE,CONTROL,CRL5-1/2 PRESSURE RELIEF VALVE, CONTROL, PRESSURE RELIEF, CLA-VAL NO.CRL 1/2 IN. 79222-02C, 50-150 PSI WITH SPRING RANGE 20-200 PSI.#		2	EA		
Material 33764	# Manf Part# Manufacturer Name C9288 CLA-VAL					
77957	ADAPTER, 2-1/2IN, MHT X 2IN MIPT, BRASS ADAPTER, 2-1/2IN MALE NATIONAL STANDARD HOSE THREAD (NST) X 2 IN MALE NATIONAL PIPE TAPERED (NPT) MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT		4	EA		
	33691 Material 33691 33764 Material 33764	Joescription 33691 DISK & DIAPHRAGM, & IN, REPAIR, ASSY ASSEMBLY, REPAIR, DISC & DIAPHRAGM NO 21176623A 8IN VALVES Material # Manf Part# Manufacturer Name 33691 33764 VALVE, CONTROL, CRL5-1/2 PRESSURE RELIEF VALVE, CONTROL, PRESSURE RELIEF, CLA-VAL NO.CRL 1/2 IN. 79222-02C, 50-150 PSI WITH SPRING RANGE 20-200 PSI.# Material # Manf Part# Manufacturer Name 33764 77957 ADAPTER, 2-1/2IN, MHT X 2IN MIPT, BRASS ADAPTER, 2-1/2IN MALE NATIONAL STANDARD HOSE THREAD (INST) X 2 IN MALE NATIONAL STANDARD HOSE THREAD (INST) X 2 IN MALE NATIONAL PIPE TAPERED (NPT) MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL"	Description Date 33691 DISK & DIAPHRAGM,8IN,REPAIR,ASSY ASSEMBLY,REPAIR,DISC & DIAPHRAGM NO 21176623A 8IN VALVES Material # Manufacturer Name 33691 Manufacturer Name 21176623A CLA-VAL 33764 VALVE,CONTROL,CRL5-1/2 PRESSURE RELIEF VALVE, CONTROL, PRESSURE RELIEF, CLA-VAL NO. CRL 1/2 IN. 79222-02C, 50-150 PSI WITH SPRING RANGE 20-200 PSI.# Image: Cla-VAL Material # Material # Material # ADAPTER,2-1/2IN,MHT X 2IN MIPT,BRASS ADAPTER, 2-1/2IN MALE NATIONAL STANDARD HOSE THREAD (NST) X 2 IN MALE NATIONAL PIPE TAPERED (NPT) Image: Cla-VAL Material Provided UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" Image: Cla-VAL	Description Date 33691 DISK & DIAPHRAGM, BIN, REPAIR, ASSY ASSEMBLY, REPAIR, DISC & DIAPHRAGM NO 21176623A BIN VALVES 1 Material # Manf Part# Manufacturer Name 33691 1 33764 VALVE, CONTROL, CRL5-1/2 PRESSURE RELIEF VALVE, CONTROL, PRESSURE RELIEF, CLA-VAL NO. CRL 1/2 IN. 7922-02C, 50-150 PSI WITH SPRING RANGE 20-200 PSI.# 2 Material # Manf Part# Manufacturer Name 33764 2 77957 ADAPTER, 2-1/2IN, MHT X 2IN MIPT, BRASS ADAPTER, 2-1/2IN MALE NATIONAL STANDARD HOSE THREAD (NST) X 2 IN MALE NATIONAL PIPE TAPERED (NPT) 4 MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" 4	Description Date 33691 DISK & DIAPHRAGM,8IN,REPAIR,ASSY ASSEMBLY, REPAIR,DISC & DIAPHRAGM NO 21176623A 8IN VALVES 1 Material # Manif Part# Manufacturer Name 33691 1 33764 VALVE,CONTROL,CRL5-1/2 PRESSURE RELIEF VALVE, CONTROL, PRESSURE RELIEF, CLA-VAL 2 83764 VALVE,CONTROL, CRL5-1/2 PRESSURE RELIEF VALVE, CONTROL, PRESSURE RELIEF, CLA-VAL 2 Material # Manufacturer Name 33764 2 Material # Manufacturer Name 33764 C9288 77957 ADAPTER, 2-1/2IN, MHT X 2IN MIPT, BRASS ADAPTER, 2-1/2IN MALE NATIONAL STANDARD HOSE THREAD (NST) X 2 IN MALE NATIONAL PIPE TAPERED (NPT) MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL"	Description Date Image: Constraint of the second seco



THIS IS NOT AN ORDER All prices guoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#		Delivery	QTY	UM	Net Price	Total
		Description	Date				
60	20352 Material 1000518 1000518	4 BAR & CHAIN OIL STIHL 3 CHAIN/BAR 150 CHEVRON		2	GA		



THIS IS NOT AN ORDER All prices guoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
70	32026 Material 1000696 1000696	FITTING,2IN,COMPRESSION,COMP X COMP COMPRESSION FITTING, 2 INCH, COMPRESSION X COMPRESSION, FOR CTS O.D. TUBING. BRASS COMPONENTS THAT CONTACT POTABLE WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT. BRASS COMPONENTS THAT DO NOT CONTACT POTABLE WATER MUST MEET AWWA/ANSI C800 AND MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS NO C83600. *NOT ACCEPTABLE MUELLER* APPROVED FORD METER BOX CO C44-77-QNL A.Y. MCDONALD 74758Q # Manf Part# Manufacturer Name 59 C44-77-QNL FORD METER BOX CO		20	EA		
80	44156	NIPPLE, RED BRASS, 1IN X 12IN. MUST MEET ASTM B43 FOR SEAMLESS RED BRASS PIPE AND NSF 372 FOR LEAD CONTENT.		20	EA		



THIS IS NOT AN ORDER All prices guoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
90	76282	TEE,12IN X 6IN,TAPPING,SS TEE,TAPPING,12IN X 6IN, STAINLESS STEEL, RANGE 13.16-13.56, DUCTILE IRON FLANGED OUTLET.		4	EA		

		APPROVED					
		ROMAC INDUSTRIES, INC					
		SSTIII- 13.56 X 6" D.I FLG					
		NO EXCEPTIONS					

	Material 76282	# Manf Part# Manufacturer Name SSTIII-13.56 X 6" D.I FLG ROMAC					
100	31814	VALVE,3/4IN IPT,CHECK,SWING,BRONZE,HORIZ VALVE CHECK SWING BRONZE 3/4IN NPTxNPT, WYE PATTERN BODY, CLASS 150, BRASS/BRONZE SEAT AND DISC, SCREWED BRONZE CAP, STAINLESS STEEL HINGE PIN. MUST MEET NSF/ANSI 61-8, ANNEX G AND NSF/ANSI 372 LEAD FREE		25	EA		
		APPROVED:					
		APOLLO 3/4IN PART NUMBER 61YLF-194-01					
		OR APPROVED EQUAL					
	Material 1001061						



THIS IS NOT AN ORDER All prices guoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
110	32077	INSERT,3/4IN MIPT TO 3/4IN RIBBED INSERT, 3/4 INCH MALE IRON PIPE THREAD TO 3/4 INCH RIBBED INSERT, FOR PE PIPE		30	EA		
		*** NO SUBSTITUTES ***					
	Material 32077	# Manf Part# Manufacturer Name PTM-1NL FORD METER BOX CO					
120	32360			5	EA		
120	32300	MUELLER, GIN, SUP CENT 250, NZL, 4-1/2IN, NST NOZZLE, 4-1/2", NATIONAL STANDARD THREAD FOR PUMPER NOZZLE ON MUELLER SUPER CENTURION 250, 6" DRY BARREL FIRE HYDRANT.#		5			
130	33125	GREASE,MACHINE,TAP GREASE, CUTTING, MUELLER NO.88366,FOR TAPPING MACHINES. AVAILABLE IN ONE PINT CANS.#		4	EA		
	Material 33125	# Manf Part# Manufacturer Name 88366					



THIS IS NOT AN ORDER All prices guoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
140	33830	VALVE,6IN, GLOBE PATTERN, CLA-VAL VALVE,PRESSURE REDUCING,6 INCH,CLA-VAL MODEL NO 100-01KC,GLOBE PATTERN WITH X-101C VALVE POSITION INDICATOR AND FLANGED ENDS, NO SUBSTITUTES.		1	EA		
	Material 33830	# Manf Part# Manufacturer Name 100-01KC CLA-VAL					
150	33858	CATCH BASIN INSERTS FOR SEDIMENT CATCH BASIN INSERTS FOR SEDIMENT RETENTION IN CATCH BASINS. CONSTRUCTED OF NON WOVEN GEOTEXTILE FABRIC, MIRAFI 700X OR APPROVED EQUAL, MUST HAVE AN ADJUSTABLE METAL FRAME THAT WILL SUPPORT THE SOCK AT STREET GRADE WHEN FULLY LOADED. THE FRAME MUST ADJUST TO RECTANGULAR DRAINS FROM 16 INCH X 20 INCH TO 24INCH X 34 INCH. MUST HAVE A STRAP THAT WILL ASSIST IN THE RETRIEVAL OF THE UNIT AND AN OVERFLOW THAT WILL ALLOW WATER TO SPILL DURING PEAK FLOWS OR WHEN THE "SOCK" IS FULL. **ONE UNIT EQUALS (10 PACKS)** 		40	EA		
	Material 1001018 1000852	37 ULTRADRAIN GUARD ULTRATECH INTERNATIONAL	INC				



THIS IS NOT AN ORDER All prices guoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
160	78668 Material 78668	COVER,SMALL,METER BOX,ARMORCAST COVER,METER BOX,SMALL,AMI SENSUS 520 FLEXNET CORE,STAMPED "TACOMA WATER" OR "WATER METER",MINIMUM 20,000 PSI LOAD RATING FOR INCIDENTAL TRAFFIC SUCH AS IN DRIVEWAYS AND PARKING LOTS. SAND COLOR, COVER DIMENSIONS 18-1/8" x 11-1/4" x 1-3/4" THICK, 1-3/8" RADIUS ON THE COVER CORNERS. AMR PENETRATION 4" DIAMETER 1/2" DEEP RECESS FOR SENSUS FLEX NET ANTENNA OR TOUCH PAD,AND 2" DIAMETER PENETRATION THROUGH THE COVER WITH THE CENTER BEING 3-1/2" FROM THE TOP AND SIDE EDGES AS APPROVED BY TACOMA WATER. THE COVERS MUST NOT BE BUOYANT. APPROVED: ARMORCAST A6000484T-H7		100	EA		
170	30976 Material 30976	BIBB,3/4IN,HOSE,LOW LEAD BRASS,FAUCET HOSE BIBB, LOW LEAD BRASS, 3/4IN MNPT INLET X GHT OUTLET, KINK FREE. HOSE BIBBS MUST BE CERTIFIED THEY MEET NSF372. # Manf Part# Manufacturer Name 72007-3/4 A.Y. MCDONALD		6	EA		



THIS IS NOT AN ORDER All prices guoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
Item #	78667	BOX,SMALL,METER,ARMORCAST BOX,METER,ROTOCAST,POLYMER CONCRETE FRAME,SMALL,NO MOUSE HOLE CUTOUT, MUST BE SMOOTH AND FREE OF CRACKS AND OTHER DEFECTS. MATERIAL WILL BE INSPECTED AND ALL DAMAGED AND/OR DEFECTIVE WORK SHALL BE RETURNED TO THE SUPPLIER AND REPLACED AT THEIR EXPENSE. BOX DIMENSIONS: 15-1/4IN X 22IN X 12IN OVERALL (WORKING AREA 17-5/8IN X 10-7/8IN). APPROVED: ARMORCAST P6000495T		QTY 100	UM	Net Price	Total
				-	Net Valu Plus Tax	cat%\$	