CITY OF TACOMA REQUEST FOR QUOTATION GENERAL TERMS AND CONDITIONS

This Request for Quotation is governed by City of Tacoma Standard Terms and Conditions linked below.

http://cms.cityoftacoma.org/purchasing/StandardTerms and Conditions.pdf

Revised: 04/2024

Page 1 of 5

Tacoma

Water Warehouse 3506 S 35th St Tacoma WA 98409

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000053110

Return Bids By 11:00 AM, 02/20/2025 to: sendbid@cityoftacoma.org Merry Elizabeth Mitchell Water Purchasing ABN 4th Floor NE 3628 South 35th Street Tacoma WA 98409 Material will ship to:

RFQ Information							
Collective Bid #	TW25-00	39N					
Bid Issue Date	02/11/202	25					
Vendor Number	109226 V	VEB VENDOR FOR RFQ					
Vendor Information	n (vendor t	o complete)					
Firm Name:							
Address:							
City/State/Zip		1 1					
Phone/Fax		1					
E-Mail							
Contact Name							
Payment Terms	%,	days (e.g. 2% 10,N30)					
Tacoma Bus. Lic. #							
Taxpayer ID #							
SIGNATURE OF PERSON AUTHORIZED TO SIGN THIS BID							
X		DATE://					
NAME :							
							

Item #	Material#	Delivery	QTY	UM	Net Price	Total
	Description	Date				
	The City of Tacoma is soliciting bids for purchase of Hydrants & Parts (Stock)					
	Submittals may be e-mailed to sendbid@cityoftacoma.org for this solicitation.					
	Please include the Collective Bid Number, TW25-0039N, in the subject line of your e-mail.					
	Bids are subject to the submittal deadline noted in the bid solicitation					
	document. The time of e-mail receipt will be considered as the time of					
	submittal. The City accepts no responsibility for transmission errors.					
	We are unable to verify receipt of submittals due to the large volume of submittals received.					
	Extend net price and provide net total value. All bid pricing shall be FOB					
	Destination, freight prepaid and included in the unit price.					
	Materials must be new and unused. No substitutes are allowed. Substitute					
	items will be returned at vendor's expense.					
	Delivery date will default to two weeks ARO if vendor fails to provide.					

A

<u>Tacoma</u>

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

CITY OF TACOMA

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000053110

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
		Circle or underline the part number and manufacturer quoted or be considered non-responsive.					
	Substitut you have submittee Committee For more	able, you must select from the approved manufacturer(s) listed. ions will not be approved at the time of the bid awarding. If a material that you would like to have added, it must be d for review and approved by the City of Tacoma's Material ee before the bid issue date listed on this request for quotation. information regarding this process, please contact: Merry mmitchell@cityoftacoma.org					
	_	nes MUST BE SUBMITTED on the provided City of Tacoma bid on form. Vendor signature is MANDATORY.					
	http://ww	ts will be posted at: w.cityoftacoma.org/government/ci ents/finance/procurement_and_payables_division/purchas esults/					
	solicitatio	u must register at this website as a bid holder for each on of interest in order to receive notification regarding ents or other updates to the original bid solicitation documents.					
	City Con	tact: Merry Mitchell, mmitchell@cityoftacoma.org					
10	32282	WATEROUS, PACER, NO. 57, O-RING PACKING WATEROUS PACER HYDRANT PART, O-RING PACKING, BUNA-N, ITEM NO. 57.		12	EA		
20	32283	WATEROUS,PACER,NO. 59,O-RING PACKING WATEROUS PACER HYDRANT PART, ITEM NO. 59 O-RING PACKING, BUNA-N#		24	EA		

Tacoma

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000053110

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
30	32332	MUELLER,6IN,SUP CENT 200, BONNET,O-RING MUELLER, 6 INCH, SUPER CENTURION 200, HYDRANT PART ITEM A-5, BONNET O-RING, RUBBER.		3	EA		
40	32333	MUELLER,6IN,SUP CENT 200,ANTI FRICTION W MUELLER, 6INCH, SUPER CENTURION 200, HYDRANT PART ITEM A-6, ANTI FRICTION WASHER, PLASTIC#		3	EA		
50	32338	MUELLER,6IN,SUP CENT 200,PMPR NZL,O-RING MUELLER, 6INCH, SUPER CENTURION 200, HYDRANT PART ITEM A-16, PUMPER NOZZLE O-RING, RUBBER#		3	EA		
60	32340	MUELLER, 6IN, SUP CENT 200, O-RING, HOSE NZL MUELLER, 6INCH, SUPER CENTURION 200, HYDRANT PART ITEM A-20, HOSE NOZZLE, O-RING, RUBBER#		3	EA		
	Materia 32340	# Manf Part# Manufacturer Name A-20 MUELLER					
70	32350 Materia	MUELLER,6IN,SUP CENT 200,SEAT RING BRONZ MUELLER, 6IN, SUPER CENTURION 200, HYDRANT PART ITEM A-43, SEAT RING, BRONZE. # Manf Part# Manufacturer Name		2	EA		
	32350	A-43 MUELLER					
80	32381	CLOW MED,M-22,LWR VLV PLATE,LOCK CLOW, MEDALLION, HYDRANT PART, ITEM M-22 LOWER VALVE PLATE LOCK WASHER, STAINLESS STEEL#		3	EA		
90	32390	CLOW MED,M-35,PMPER NZL,O-RING CLOW, MEDALLION, HYDRANT PART, ITEM M-35 PUMPER NOZZLE O-RING, NBR#		3	EA		

Tacoma

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000053110

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
100	32486	M&H 929 RELIANT,#52 MAIN VLVE SEAT RING M & H HYDRANT, STYLE 929 RELIANT, 5-1/4 IN, ITEM NO. 52 MAIN VALVE SEAT RING UPPER O-RING		6	EA		
110	32489	M&H 929 RELIANT,#53,O-RING,MAIN VLV SEAT M & H HYDRANT, STYLE 929 RELIANT, 5-1/4 IN, ITEM NO.53 MAIN VALVE SEAT RING LOWER, O-RING		3	EA		
120	32495	M&H 929 RELIANT,#24 HOSE NOZZLE O-RING M & H HYDRANT, STYLE 929 RELIANT, 5-1/4 IN, ITEM NO.24 HOSE NOZZLE O-RING, RUBBER APPROVED: HYDRAFLO #1170.		2	EA		
130	32497	M&H 929 RELIANT,#18 HOSE CAP GASKET M & H HYDRANT, STYLE 929 RELIANT, 5-1/4 IN, ITEM NO.18 HOSE CAP GASKET, RUBBER. ACCEPTABLE: HYDRAFLO		2	EA		
140	32679	USP,SENT J,PIN,TOP PLATE,#34 U.S. PIPE, SENTINEL SERIES J, 5 1/4 INCH, ITEM NO. 34, TOP PLATE SHEAR PIN-SHEAR PROOF, STEEL.		2	EA		
150	32708	USP,METRO 250,SCREW,LOCKING,BONNET,9 U.S. PIPE, METROPOLITAN 250 5 1/4 IN.,ITEM NO. 9, BONNET LOCKING SCREW STAINLESS STEEL#		2	EA		
160	32715	USP,METRO 250,BEARING,ANTI-FRICTION,47 U.S. PIPE, METROPOLITAN 250 5 1/4 IN.,ITEM NO. 47 ANTI FRICTION BEARING, DELRIN 500.#		4	EA		

Tacoma

CITY OF TACOMA

THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

REQUEST FOR QUOTATION 6000053110

170 32360 MUELLER, SIN, SUP CENT 250, NZL, 4-1/2IN, NST NOZZLE, 4-1/2", NATIONAL STANDARD THREAD FOR PUMPER NOZZLE ON MUELLER SUPER CENTURION 250, 6" DRY BARREL FIRE HYDRANT.# 180 32872 COUPLING, SIN STORZ X 4-1/2IN NHT (NST) COUPLING, QUICK DISCONNECT, 5 INCH STORZ METAL FACE X 4-1/2 INCH NATIONAL HOSE THREAD, ALUMINUM, FURNISHED WITH STORZ BLIND CAP WITH SUCTION GASKET AND INTEGRAL LANYARD MADE OF 306 STAINLESS STEEL, 7 X 7 STRAND, 3/32IN DIAMETER BARE VINYL COATED 3/16IN FINISHED SIZE, MINIMUM 30 INCH LENGTH ONE END OF THE CABLE SHALL BE ATTACHED TO THE BLIND CAP WITH THE OTHER END LEFT UNATTACHED 40 FOOT/POUND OF TORQUE REQUIRED TO REMOVE THE BLIND CAP. RED VINYL COATED CABLE REQUIRED ON LOCKING TYPE COUPLINGS, ADAPTER BASE FOR CONNECTION TO THE PUMPER NOZZLE MUST BE A SINGLE UNIT AND HAVE A MINIMUM OF TWO STAINLESS STEEL SET SCREWS. MEETING NFPA STANDARD 1963. APPROVED: AWG, HARRINGTON,KOCHEK. NOT APPROVED: RED HEAD	Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
COUPLING, QUICK DISCONNECT, 5 INCH STORZ METAL FACE X 4-1/2 INCH NATIONAL HOSE THREAD, ALUMINUM, FURNISHED WITH STORZ BLIND CAP WITH SUCTION GASKET AND INTEGRAL LANYARD MADE OF 306 STAINLESS STEEL, 7 X 7 STRAND, 3/32IN DIAMETER BARE. VINYL COATED 3/16IN FINISHED SIZE, MINIMUM 30 INCH LENGTH ONE END OF THE CABLE SHALL BE ATTACHED TO THE BLIND CAP WITH THE OTHER END LEFT UNATTACHED. 40 FOOT/POUND OF TORQUE REQUIRED TO REMOVE THE BLIND CAP. RED VINYL COATED CABLE REQUIRED ON LOCKING TYPE COUPLINGS. ADAPTER BASE FOR CONNECTION TO THE PUMPER NOZZLE MUST BE A SINGLE UNIT AND HAVE A MINIMUM OF TWO STAINLESS STEEL SET SCREWS. MEETING NFPA STANDARD 1963. APPROVED: AWG, HARRINGTON,KOCHEK.			NOZZLE, 4-1/2", NATIONAL STANDARD THREAD FOR PUMPER NOZZLE ON MUELLER SUPER CENTURION 250, 6" DRY BARREL FIRE HYDRANT.#					
	180	32872	COUPLING, QUICK DISCONNECT, 5 INCH STORZ METAL FACE X 4-1/2 INCH NATIONAL HOSE THREAD, ALUMINUM, FURNISHED WITH STORZ BLIND CAP WITH SUCTION GASKET AND INTEGRAL LANYARD MADE OF 306 STAINLESS STEEL, 7 X 7 STRAND, 3/32IN DIAMETER BARE. VINYL COATED 3/16IN FINISHED SIZE, MINIMUM 30 INCH LENGTH ONE END OF THE CABLE SHALL BE ATTACHED TO THE BLIND CAP WITH THE OTHER END LEFT UNATTACHED. 40 FOOT/POUND OF TORQUE REQUIRED TO REMOVE THE BLIND CAP. RED VINYL COATED CABLE REQUIRED ON LOCKING TYPE COUPLINGS. ADAPTER BASE FOR CONNECTION TO THE PUMPER NOZZLE MUST BE A SINGLE UNIT AND HAVE A MINIMUM OF TWO STAINLESS STEEL SET SCREWS. MEETING NFPA STANDARD 1963.		10	EA		

Net Value	\$
Plus Tax at	\$
Total Amount	\$