## CITY OF TACOMA REQUEST FOR QUOTATION GENERAL TERMS AND CONDITIONS

This Request for Quotation is governed by City of Tacoma Standard Terms and Conditions linked below.

http://cms.cityoftacoma.org/purchasing/StandardTerms and Conditions.pdf

Revised: 04/2024

#### Page 1 of 11

# Tacoma

#### **CITY OF TACOMA**

## THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

#### REQUEST FOR QUOTATION 6000053165

# Return Bids By 11:00 AM, 04/03/2025 to: sendbid@cityoftacoma.org Merry!Elizabeth!Mitchell! Water!Purchasing! ABN!4th!Floor!NE! 3628!South!35th!Street! Tacoma!WA!98409! Material will ship to: Water Warehouse 3506 S 35th St Tacoma WA 98409

RFQ Information		
Collective Bid #	TW25-00	84N
Bid Issue Date	03/25/202	25
Vendor Number	109226 V	VEB VENDOR FOR RFQ
Vendor Information	n (vendor t	o complete)
Firm Name:		
Address:		
City/State/Zip		1 1
Phone/Fax		1
E-Mail		
Contact Name		
Payment Terms	%,	days (e.g. 2% 10,N30)
Tacoma Bus. Lic. #		
Taxpayer ID #		
SIGNATURE OF PERSON A	UTHORIZED TO	SIGN THIS BID
x		DATE://
NAME :		<del></del>
TITLE :		<del></del>

Item #	Material# Description	Delivery Date	QTY	UM	Net Price	Total
	The!City!of!Tacoma!is!soliciting!bids!for!purchase!of!Hardware					
	Non-Electrical!(Stock),!Pipe!(Stock),!&!Tools!(Stock)					
	Submittals!may!be!e-mailed!to!sendbid@cityoftacoma.org!for!this!solicitation.					
	Please!include!the!Collective!Bid!Number,!TW25-0084N,!in!the!subject!line!of! your!e-mail.					
	Bids!are!subject!to!the!submittal!deadline!noted!in!the!bid!solicitation!document.!					
	The!time!of!e-mail!receipt!will!be!considered!as!the!time!of!submittal.! The!City!					
	accepts!no!responsibility!for!transmission!errors.					
	We!are!unable!to!verify!receipt!of!submittals!due!to!the!large!volume!of!					
	submittals!received.					
	Extend!net!price!and!provide!net!total!value.!All!bid!pricing!shall!be!FOB!					
	Destination,!freight!prepaid!and!included!in!the!unit!price.					
	Materials!must!be!new!and!unused.!No!substitutes!are!allowed.!Substitute!items!					
	will!be!returned!at!vendor's!expense.					
	Delivery!date!will!default!to!two!weeks!ARO!if!vendor!fails!to!provide.					

# Tacoma Tacoma

#### **CITY OF TACOMA**

## THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
		Circle or underline the part number and manufacturer quoted or be considered non-responsive.					
	Substitut you have submitte Committe For more	able, you must select from the approved manufacturer(s) listed. tions will not be approved at the time of the bid awarding. If a material that you would like to have added, it must be d for review and approved by the City of Tacoma's Material ee before the bid issue date listed on this request for quotation. e information regarding this process, please contact: Merry mmitchell@cityoftacoma.org					
		ses MUST BE SUBMITTED on the provided City of Tacoma bid on form. Vendor signature is MANDATORY.					
	http://ww	Its will be posted at: /w.cityoftacoma.org/government/ci rents/finance/procurement_and_payables_division/purchas results/					
	solicitation	ou must register at this website as a bid holder for each on of interest in order to receive notification regarding tents or other updates to the original bid solicitation documents.					
	City Con	tact: Merry Mitchell, mmitchell@cityoftacoma.org					
10	32126	NIPPLE,1-1/2IN X 6IN,RED BRASS NIPPLE,RED BRASS,1-1/2IN X 6INCH.  MUST MEET ASTM B43 FOR SEAMLESS RED BRASS PIPE AND NSF 372 FOR LEAD CONTENT.		20	EA		

#### **CITY OF TACOMA**

## THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
20	30943	ELL, 6IN, MJ, DI, 22-1/2 DEG ELL, 6", 22-1/2 DEGREE, MECHANICAL JOINT. DUCTILE IRON. MUST COMPLY WITH THE LATESTS REVISIONS OF THE ANSI/AWWA C-110, C-153 AND C-104.  MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST BE MANUFACTURED WITHIN TWO YEARS OF THE DATE OF THE PURCHASE ORDER UNLESS PRIOR APPROVAL IS OBTAINED FROM TACOMA WATER.  NO ACCESSORIES.		4	EA		
30	31293	GLAND PACK, 6IN MEGALUG, MJ, DI GLAND PACK, 6 INCH, RESTRAINING, MECHANICAL JOINT, DUCTILE IRON, CONFORMING TO THE LATEST REVISION OF ASTM A536-80. THE GLAND WILL HAVE A WEDGING ACTION THAT INCREASES AS LINE PRESSURE INCREASES. MINIMUM PRESSURE RATED 350 PSI. PACKAGED AS ONE UNIT, WILL INCLUDE "SBR" MECHANICAL JOINT GASKET AND 6 EACH 3/4IN X 4IN CORTEN T-HEAD BOLTS AND MEGA LUG. MATERIALS MUST BE IN ORIGINAL MANUFACTURERS PACKAGING.		110	EA		
	Material 1001136 1001136 1001136	3000 SERIES STAR GRIP 4 1400 SERIES UNIFLANGE 4 #1106DSC,"ROMAGRIP" ROMAC					

#### **CITY OF TACOMA**

## THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
40	33727	INDICATOR,4IN,VALVE POSITION,CLA-VAL INDICATOR,VALVE POSITION,4INCH,CLA-VALVE,PRESSURE RATING 400PSI, FOR CLA-VAL VALVE SERIES #100-01  **NO BRASS PYREX TUBE**		2	EA		
	Material 33727	# Manf Part# Manufacturer Name X101C VALVE,4" SERIES #100-01 CLA-VAL					
50	65833	COUPLING, 8 IN,TRANSITION COUPLING, 8 INCH, TRANSITION, EXTENDED RANGE 8.60 IN TO 9.75 IN, DUCTILE IRON BODY, GLANDS AND BOLT GUIDES, NITRILE GASKETS, STAINLESS STEEL BOLTS, FUSION BONDED EPOXY COATED, WORKING PRESSURE UP TO 260 PSI, NSF 372 CERTIFIED.  APPROVED: ROMAC MACRO HP EXTENDED RANGE COUPLING		6	EA		
60	19154	BRUSH,1IN,PAINT,DISPOSABLE BRUSH, PAINT,DISPOSABLE, 1 IN, PURE WHITE BRISTLE, WOOD HANDLE SANDED SMOOTH, OR EQUIVALENT. PACKAGED 36 IN A BOX. NO BULK SHIPMENTS WILL BE ACCEPTED		36	EA		

#### **CITY OF TACOMA**

## THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

31969 STOP,1-1/2IN,CORPBALL TYPE DESIGN STOP, CORPORATION, 1-1/2", BALL TYPE DESIGN, AWWA TAPER THREAD INLET. INCREASING I.P. THREAD OUTLET WITH INTERNAL DRIVING THREAD. PER THE LATEST REVISION OF THE ANSI/AWWA STANDARD C-800.  *NOT ACCEPTABLE MUELLER, FORD*  APPROVED: AY MCDONALD #3121B  NOT ACCEPTABLE: AY MCDONALD #3121(PLUG STYLE)#  BRASS COMPONENTS THAT CONTACT POTABLE WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI 372. BRASS COMPONENTS THAT DO NOT CONTACT POTABLE WATER MUST MEET AWWA/ANSI C800 AND MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS NO C83600.	Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
	70	31969	STOP,1-1/2IN,CORPBALL TYPE DESIGN STOP, CORPORATION, 1-1/2", BALL TYPE DESIGN, AWWA TAPER THREAD INLET. INCREASING I.P. THREAD OUTLET WITH INTERNAL DRIVING THREAD. PER THE LATEST REVISION OF THE ANSI/AWWA STANDARD C-800.  *NOT ACCEPTABLE MUELLER, FORD*  APPROVED: AY MCDONALD #3121B  NOT ACCEPTABLE: AY MCDONALD #3121(PLUG STYLE)#  BRASS COMPONENTS THAT CONTACT POTABLE WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI 372. BRASS COMPONENTS THAT DO NOT CONTACT POTABLE WATER MUST MEET AWWA/ANSI C800 AND MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS	Date	15	EA		

#### **CITY OF TACOMA**

## THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description		Delivery Date	QTY	UM	Net Price	Total
80	31985	STOP, 1 INCH, CURB,	COMP FTG, IN AND OUT FULL PORT BALL VALVE, CTS ECTION INLET AND OUTLET.		800	EA		
		BRASS COMPONENTS WATER MUST MEET A 372. BRASS COMPONE POTABLE WATER MUS MAY BE MANUFACTUR NO C83600.						
	*NOT ACCEPTABLE MUELLER*							
		**************************************	cDonald 2701					
	ACCEPTED  A.Y. MCDONALD 76100Q 1  FORD METER BOX CO B44-444QNL		0Q 1					
	Material 1000693		Manufacturer Name A.Y. MCDONALD					
	1000693		FORD METER BOX CO					

#### **CITY OF TACOMA**

## THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description		Delivery Date	QTY	UM	Net Price	Total
90	32026	COMPRESSION, FOR	NG, 2 INCH, COMPRESSION X		20	EA		
		WATER MUST MEET A 372, AND IDENTIFIED O BRASS COMPONENTS POTABLE WATER MUS	STHAT CONTACT POTABLE INSI/AWWA C800 AND NSF/ANSI WITH "NL" ON THE PRODUCT. B THAT DO NOT CONTACT ST MEET AWWA/ANSI C800 AND RED WITH 85-5-5-5 BRASS, UNS					
		*NOT ACCEPTABLE M						
		APPROVED FORD METER BOX CO A.Y. MCDONALD 74758						
	Material 1000696 1000696	9 C44-77-QNL	Manufacturer Name FORD METER BOX CO A.Y. MCDONALD					

#### **CITY OF TACOMA**

## THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
100	32033	FITTING,2IN,COMPRESSION,90 DEG ELL COMPRESSION FITTING, 2 INCH, 90 DEGREE ELL.  BRASS COMPONENTS THAT CONTACT POTABLE WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT. BRASS COMPONENTS THAT DO NOT CONTACT POTABLE WATER MUST MEET AWWA/ANSI C800 AND MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS NO C83600.  *NOT ACCEPTABLE MUELLER*		24	EA		
FORD METER BOX CO L44-77-QNL A.Y. MCDONALD 74761Q 2  Material!# Manf Part# Manufacturer Name 10006955 L44-77-QNL FORD METER BOX CO 10006954 74761Q 2 A.Y. MCDONALD							
110	32172	TUBING, 2INCH, COPPER, RIGID, SEAMLESS, TYPE "K", DRAWN, FURNISHED IN 20 FOOT LENGTHS. THE MATERIAL SHALL BE SUPPLIED IN CONFORMANCE WITH ASTM B88-STANDARD SPECIFICATION FOR SEAMLESS COPPER WATER TUBE FOR POTABLE WATER APPLICATIONS.  MATERIAL PROVIDED UNDER THIS SPECIFICATION MUST MEET NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT		400	FT		

#### **CITY OF TACOMA**

## THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description	Delivery Date	QTY	UM	Net Price	Total
120	32192	YOKE, 2IN X 18IN X 17IN, METER YOKE, METER, 2 INCH X 18 INCH X 17 INCH, 2 INCH COPPER METER SETTER WITH FEMALE IRON PIPE, HORIZONTAL INLET AND OUTLET, FULL PORT ANGLE METER BALL VALVE INLET AND OUTLET AT THE METER, HIGH BY-PASS. MINIMUM 1 IN COPPER TUBE WITH LOCKING BALL VALVE. CENTER LINE OF HIGH BY-PASS TO BE OFF SET 6-1/2 TO 7-1/2 INCHES FROM THE CENTER LINE OF THE INLET AND OUTLET RISERS, AND 5 TO 8-1/2 INCHES BELOW THE CENTER LINE OF METER FLANGES. ALL BALL VALVES MUST HAVE PAD LOCK WINGS. ALL MATERIALS USED IN THE CONSTRUCTION OF THE SETTERS SHALL CONFORM TO THE APPLICABLE SECTIONS OF THE LATEST REVISION OF AWWA STANDARD C-800.  BRASS COMPONENTS THAT CONTACT POTABLE WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT. BRASS COMPONENTS THAT DO NOT CONTACT POTABLE WATER MUST MEET AWWA/ANSI C800 AND MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS NO C83600.  *NOT ACCEPTABLE MUELLER, FORD*  APPROVED A.Y. MCDONALD 720R718WWFF775		40	EA		
	Material 1000687						

## CITY OF TACOMA



## THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item #	Material#	Description		Delivery Date	QTY	UM	Net Price	Total
130	35490	DUCTILE IRON BODY STAINLESS STEEL ST STAINLESS STEEL 1- RANGE 6.90"-7.56", TO ON THE BODY OF TH CODE AND RANGE C	1" CC(AWWA) THREAD OUTLET. (PAINTED), AND DOUBLE(TWO) TRAPS,(4EA. 5/8 STUDS). 1/16" HEX NUTS AND WASHERS. D BE PERMANENTLY INDICATED E CLAMP. PRODUCT ORDERING HANGES WILL BE CAUSE FOR THE PRODUCT AND RE-APPROVAL		20	EA		
	Material 1000421 1000511	0 FSD-202	Manufacturer Name FORD METER BOX CO ROMAC					

#### **CITY OF TACOMA**

## THIS IS NOT AN ORDER All prices quoted shall be F.O.B. Destination, Freight Prepaid and Allowed

All responses & inquiries must be plainly marked with this

Item # M	Material#	Description		Delivery Date	QTY	UM	Net Price	Total
140 3	STOP, CURB, FULL PORT BALL, 1-1/2 INCH FEMALE IRON PIPE THREAD INLET AND OUTLET. ONE PIECE SOLID TEE HEAD, 300 PSI, MEETS AWWA STANDARD C800.  BRASS COMPONENTS THAT CONTACT POTABLE WATER MUST MEET ANSI/AWWA C800 AND NSF/ANSI 372, AND IDENTIFIED WITH "NL" ON THE PRODUCT. BRASS COMPONENTS THAT DO NOT CONTACT POTABLE WATER MUST MEET AWWA/ANSI C800 AND MAY BE MANUFACTURED WITH 85-5-5-5 BRASS, UNS NO C83600.  *NOT ACCEPTABLE MUELLER* *********************************				30	EA		
	Material 1000449							
150 40	SLING, 8 FEET, POLYESTER, DOUBLE EYE SLING, 8 FEET, POLYESTER ROUND WITH ABRASION RESISTANT POLYESTER SLEEVE TO CREATE AN EYE AND EYE SLING. THE MINIMUM RATED CAPACITY SHALL BE 5,300 POUND VERTICAL, 4,200 POUND CHOKER, 10,600 POUND VERTICAL BASKET. ALL SLINGS SHALL HAVE DURABLE PERMANENTLY AFFIXED TAG THAT INDICATED THE RATED CAPACITY (WORKING LOAD LIMITS) IN VARIOUS CONFIGURATIONS. THE POLYESTER SLEEVE AND COVERS SHALL BE GREEN FOR EASY IDENTIFICATION.				4	EA		
				1		Net Value		

Net Value	\$
Plus Tax at	\$
<b>Total Amount</b>	\$